

**DS-MCH208**  
**Wi-Fi Helmet Camera**

- Up to 1080p/30 fps recording resolution.
- H.264/H.265.
- High brightness white light supplement.
- Wide-range lens with 84° horizontal FOV.
- IP67.
- The battery is non-removable.

## ▪ Specification

<b>Camera</b>	
Image Sensor	1/3" progressive scan CMOS
Max. Resolution	1920 × 1080
Min. Illumination	Color: 0.5 Lux @ (F2.0, AGC ON)
White Light	2 white light(s)
<b>Lens</b>	
Focal Length	4.15 mm
FOV	Horizontal FOV: 84° Vertical FOV: 52° Diagonal FOV: 102°
Aperture	F2.0
<b>Video</b>	
Video Format	PS, MP4
Sub Stream	30 fps (720 × 576)
Video Compression	H.264, H.265
Main Stream	60 Hz: 30 fps (1920 × 1080, 1280 × 720, 720 × 576)
<b>Audio</b>	
Audio Compression for Video Recording	G722_1, AAC
Audio Compression for Group Intercom	G711_A, G711_MU, G722_1
Audio Bit Rate	G711_A (64 kbps), G711_MU (64 kbps), G722_1 (16 kbps), AAC (64 kbps)
<b>Image</b>	
Image Format	JPEG
<b>Storage</b>	
RAM	128 MB
ROM	32 GB
<b>Wireless Network</b>	
Bluetooth	BT4.0
Wi-Fi Frequency Band	2.412 to 2.472 GHz
Cellular Network	Only available for models with /GLE: FDD -LTE: B1/B3/B5/B7/B8/B20 TDD -LTE: B38/B40/B41
Positioning Mode	GPS
Wi-Fi Protocol	802.11 a/b/g/n
<b>Network</b>	
Protocol	HTTPS, RTSP, NTP, FTP
API	ONVIF (PROFILE S, PROFILE G, PROFILE T), ISAPI, SDK, ISUP
<b>Interface</b>	
Audio Type	1 built-in mic(s), 1 speaker(s)
SIM Card	Only available for models with /GLE: 1 (Nano-SIM)
Indicator	2 Indicator(s) for Charging/Working/Recording
Charging Interface	Type-C
Button	Power, Picture capture, SoS
USB	USB 2.0

Laser Positioning	Supported
<b>General</b>	
Operating System	Linux
Power	5 VDC, 2.0 A, max. 10 W
Client	HikCentral Pro, HikCentral Master Lite
Speaker	1 Built-in speaker, Max. power consumption: 1.3 W, Max. sound pressure level: 96 dB (10 cm)
MIC	Supported
Gyroscope	Supported
G-sensor	Supported
Operating Condition	Temperature: -20 °C to 55 °C (-4 °F to 131 °F) Humidity: 90% or less (non-condensing)
Dimension	55 mm × 55 mm × 31 mm (2.2" × 2.2" × 1.2")
Weight	110 g (without mounting) (0.24 lb.)
<b>Battery</b>	
Battery Duration	Up to 12 h in 720p resolution <sup>1</sup>
Capacity	3300 mAh
Battery Type	Lithium-ion battery, integral
Charging Time	≤ 4 h
<b>Approval</b>	
RF	EN 300 328 V2.1.1 (BT or 2.4 G); EN 62311: 2008 (BT or 2.4 G); EN 55032: 2015; EN 61000-3-2: 2014; EN 61000-3-3: 2013; EN 50130-4: 2011+A1: 2014);
EMC	CE-EMC: EN 55032: 2015, EN 61000-3-2: 2019, EN 61000-3-3: 2013, EN 50130-4: 2011 +A1: 2014
Safety	CB: IEC 62368-1: 2014+A11, IEC 62368-1: 2018 CE-LVD: EN 62368-1: 2014/A11: 2017, EN IEC 62368-1: 2020+A11: 2020 CE-LVD: EN 62368-1: 2014/A11: 2017
Environment	CE-RoHS: 2011/65/EU, WEEE: 2012/19/EU, Reach: Regulation (EC) No 1907/2006
Protection	IP67


This is a basic estimation of battery life only when recording is on. Additional power consumption should be considered when IR, GPS, and/or network connection is on.

#### ▪ Available Model


DS-MCH208/32G/GPS/WIFI

DS-MCH208/32G/GLE

▪ **Dimension**



▪ **Accessory**  
▪ **Optional**



**Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
www.hikvision.com



Follow us on social media to get the latest product and solution information.

