



## **How to Upload Custom Sound of Audible Alarm**

<b>Title:</b>	How to Upload Custom Sound of Audible Alarm	<b>Version:</b>	v1.0	<b>Date:</b>	04/09/2020
<b>Product:</b>	IP Camera			<b>Page:</b>	1 of 3

## Preparation

1. Second generation AcuSense camera (-SL models).
2. Custom audio with .wav format sampling rate as 8 KHz.

# How to Upload Custom Sound of Audible Alarm

## 1. Website upload

### 1) Find uploading page on web

Configuration---Event---Basic      Event---Audible      Alarm      Output.

The screenshot shows the Hikvision web interface for configuring the Audible Alarm Output. The top navigation bar includes 'Live View', 'Playback', 'Picture', and 'Configuration' (which is highlighted). The left sidebar contains a menu with 'Local', 'System', 'Network', 'Video/Audio', 'Image', 'Event', 'Basic Event', 'Smart Event', and 'Storage'. The main content area has tabs for 'Motion Detection', 'Video Tampering', 'Alarm Input', 'Alarm Output', 'Exception', 'Flashing Alarm Light Output', and 'Audible Alarm Output' (which is selected). The 'Audible Alarm Output' settings include:
 

- Sound Type: Warning (dropdown menu)
- Warning: Siren (dropdown menu) with a 'Test' button
- Alarm Times: 5 (input field)
- Sound Volume: 80 (slider)
- Arming Schedule: A calendar grid showing the alarm is active for all days of the week (Mon-Sun) from 0 to 24 hours.

 A 'Save' button is located at the bottom of the configuration area.

### 2) Select sound type.

<b>Title:</b>	How to Upload Custom Sound of Audible Alarm	<b>Version:</b>	v1.0	<b>Date:</b>	04/09/2020
<b>Product:</b>	IP Camera			<b>Page:</b>	2 of 3

The screenshot shows a configuration page for an alarm system. On the left is a sidebar with categories: Local, System, Network, Video/Audio, Image, Event, Basic Event, Smart Event, and Storage. The main area has tabs for Motion Detection, Video Tampering, Alarm Input, Alarm Output, and Export. Under 'Alarm Input', the 'Sound Type' dropdown is open, showing 'Warning', 'Prompt', and 'Custom' (highlighted with a red box). Below it, the 'Warning' label is also highlighted with a red box. Other settings include 'Alarm Times' set to 5 and 'Sound Volume' at 80. An 'Arming Schedule' section is visible below, with 'Delete' and 'Delete All' buttons. A calendar grid shows the arming schedule for Monday through Thursday, with blue bars indicating active periods from 0 to 14 hours.

### 3) Import custom audio file.


Click Add, then upload a .wav **mono sound** audio file with the size smaller than **512 KB** and sampling rate as **8 KHz**.


If audio do not meet above requirements, it will prompt Uploading failed.


This screenshot shows the same configuration page as above, but with the 'Sound Type' dropdown set to 'Custom'. The 'Custom' section now includes a 'Select File' dropdown menu, a 'Test' button, a 'Download' button, and an 'Add' button (highlighted with a red box). The 'Arming Schedule' section and 'Delete/Delete All' buttons remain visible at the bottom.

<b>Title:</b>	How to Upload Custom Sound of Audible Alarm	<b>Version:</b>	v1.0	<b>Date:</b>	04/09/2020
<b>Product:</b>	IP Camera			<b>Page:</b>	3 of 3

### Upload Custom Audio


\* Custom   

 Upload a .wav mono sound audio file with the size smaller than 512 KB and sampling rate as 8 KHz.

\* Audio Name  

#### 4) Test.

Save all settings and click Test, if prompt “Audio is playing...Please wait”, that means uploading succeed.





See Far, Go Further