

HikCentral-E-Retail-HW



- Expand and optimize application performance
- Automate systems management with OpenManage
- Rely on Hikvision with built-in security
- Support HikCentral Enterprise Retail





Specification

Product Description	
Platform Version	HikCentral Enterprise Retail V1.2.0
Physical and Environmental Parar	meter
Working Temperature	+5°C to +35°C (41°F to 95 °F)
Working Humidity	8 % to 90 % (without condensation)
Storing Temperature	-40°C to +70°C (-40°F to 158 °F)
Weight (Without Package)	26.5kg
Weight (With Package)	35.1kg
General	
Processor	Two Intel® Xeon®SP (4208*2)
Memory	64G DDR4 DIMM
Storage controllers	PERC H330
Drive bays	up to 8 x 3.5" SAS/SATA HDD
	This model is configured 1TB 7.2K SATA×2(RAID_1)+4TB 7.2K SATA×2(RAID_1)
Power supplies	495W(1+1)
Sizing	Form factor: Rack (2U) Chassis depth: 715.5 mm
	715.5 × 482 × 86.8 mm (28.2 × 19.0 × 3.4 inch)
	With package: 960 × 610 × 295 mm (37.8 × 24.0× 11.6 inch)
Embedded management	iDRAC9, Enterprise
Bezel	security bezel
OpenManage™ Software	OpenManage Enterprise OpenManage Mobile
	OpenManage Essentials OpenManage Power Center
Integrations and connections	Integrations: Microsoft® System Center, VMware® vCenter™, BMC Software
	Connections: Nagios & Nagios XI, Oracle Enterprise Manager, HP Operations
	Manager,IBM Tivoli Netcool/OMNIbus,IBM Tivoli® Network Manager,CA Network and Systems Management
Security	TPM 1.2/2.0 optional, Cryptographically signed firmware, Secure Boot, System
	Lockdown,Secure erase
I/O & Ports	Network daughter card options: 4 x 1GE
	Front ports: Video, 2 x USB 2.0 Rear ports: Video, serial, 2 x USB 3.0
	Video card: VGA*1
	1.000 00.0. 1 07. 1
Compatible hard disk accessories	366000679 1TB 7.2K SATA 6Gbps 3.5-inch hot-swappable hard drive(DELL)
	366000680 4TB 7.2K SATA 6Gbps 3.5-inch hot-swappable hard drive(DELL)
	366000682 8TB 7.2K SATA 6Gbps 3.5-inch hot-swappable hard drive(DELL)
	366000683 12TB,7.2K,SATA,6Gbps,3.5-inch hot-swappable hard drive(DELL)



Available Model

310806746 HikCentral-E-Retail-HW(O-STD)(B)



Distributed by

HIKVISION°

Headquarters

No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 overseasbusiness@hikvision.com

Hikvision USA T+1-909-895-0400 sales.usa@hikvision.com

Hikvision Australia T+61-2-8599-4233 salesau@hikvision.com

Hikvision India T+91-22-28469900 sales@pramahikvision.com

Hikvision Canada T+1-866-200-6690 sales.canada@hikvision.com

Hikvision Thailand T+662-275-9949 sales.thailand@hikvision.com Hikvision Europe T +31-23-5542770 sales.eu@hikvision.com

Hikvision Italy T +39-0438-6902 info.it@hikvision.com

Hikvision Brazil T +55 11 3318-0050 Latam.support@hikvision.com

Hikvision Turkey T +90 (216)521 7070- 7074 sales.tr@hikvision.com

Hikvision Malaysia T+601-7652-2413 sales.my@hikvision.com Hikvision UK & Ireland T +01628-902140 sales.uk@hikvision.com

Hikvision South Africa Tel: +27 (10) 0351172 sale.africa@hikvision.com

Hikvision France T +33(0)1-85-330-450 info.fr@hikvision.com

Hikvision Kazakhstan T +7-727-9730667 nikia.panfilov@hikvision.ru

Hikvision Vietnam T +84-974270888 sales.vt@hikvision.com Hikvision UAE T +971-4-4432090 salesme@hikvision.com

Hikvision Singapore T +65-6684-4718 sg@hikvision.com

Hikvision Spain T +34-91-737-16-55 info.es@hikvision.com

Hikvision Tashkent T +99-87-1238-9438 uzb@hikvision.ru

Hikvision Hong Kong T +852-2151-1761 info.hk@hikvision.com **Hikvision Russia** T +7-495-669-67-99 saleru@hikvision.com

Hikvision Korea T +82-{0}31-731-8817 sales.korea@hikvision.com

Hikvision Poland T +48-22-460-01-50 info.pl@hikvision.com

Hikvision Indonesia T+62-21-2933759 Sales.Indonesia@hikvision.com

Hikvision Colombia sales.colombia@hikvision.com