

# DS-PEA101-V1-R Panic Alarm Panel

DS-PEA1-101 panic alarm panel is designed without camera. It supports two-way audio. It helps to realize alarm aid the first time and provides more efficient service for building social stability. It is mainly applied to classroom, corridor, laboratory, dormitory, office, hospital, ward and so on



- Adopts embedded Linux operation system and high-performance embedded SOC processor
- One-touch emergency calling
- Multiple communication protocols: TCP/IP, HIK-SIP, RTSP and standard SIP
- Supports ISUP for public network transmission
- Built-in Omnidirectional Microphone, Pickup Distance: 5 m
- Supports AEC/AGC/ANC
- Support system audio self-check
- Explosion-proof level: IK09&IP65
- Supports broadcasting





### Specification

* Specification	
Software features	
Admin	1
Configuration tools	IVMS4200
Voice prompt	Supported
Firmware undate tools	Supported
User APP for operating	Supported
Memory log stored	Supported
Protocol	TCP/IP, RTSP, HIK-SIP, Standard SIP, ISUP
Hardware features	
Tamper-Proof	Supported
Alarm input	1
Alarm output	1
Sounder Output	12V/0.3A
Audio	
Sound pressure	80dB, Sound Can be Configured Separately
Audio input	1-ch Built-in Omnidirectional Microphone
	Pickup Distance: 5 m
Audio output	1-ch 3 W Build-in Loudspeaker
Audio encoding/decoding standard	G.711U/PCM/ADPCM/AAC/OPUS
Audio compression code rate	16Kbps,64Kbps
Audio quality	Smart Noise Suppression
Electrical characteristics	
Power supply	12 VDC
Power consumption	≤10W
Network transmission	
Wired network	Wired network 10 M/100 M Self-adaptive Ethernet port
General	
IP rate	65
IK rate	09
Installation method	Wall-mounted
Dimension(WxHxD)	119.2*195.6*43.3mm
Color	Red
Weight	700g
Operation temperature	-20°C + 55°C
Operation humidity	10%-90%

#### Available Model

DS-PEA101-V1-R,



Distributed by

## *HIKVISION*°

#### Headquarters

No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 overseasbusiness@hikvision.com

Hikvision USA T+1-909-895-0400 sales.usa@hikvision.com

Hikvision Australia T+61-2-8599-4233 salesau@hikvision.com

Hikvision India T+91-22-28469900 sales@pramahikvision.com

Hikvision Canada T+1-866-200-6690 sales.canada@hikvision.com

Hikvision Thailand T+662-275-9949 sales.thailand@hikvision.com Hikvision Europe T +31-23-5542770 sales.eu@hikvision.com

Hikvision Italy T +39-0438-6902 info.it@hikvision.com

Hikvision Brazil T +55 11 3318-0050 Latam.support@hikvision.com

**Hikvision Turkey** T +90 (216)521 7070- 7074 sales.tr@hikvision.com

Hikvision Malaysia T+601-7652-2413 sales.my@hikvision.com Hikvision UK & Ireland T +01628-902140 sales.uk@hikvision.com

Hikvision South Africa Tel: +27 (10) 0351172 sale.africa@hikvision.com

Hikvision France T +33(0)1-85-330-450 info.fr@hikvision.com

Hikvision Kazakhstan T +7-727-9730667 nikia.panfilov@hikvision.ru

Hikvision Vietnam T +84-974270888 sales.vt@hikvision.com Hikvision UAE T +971-4-4432090 salesme@hikvision.com

Hikvision Singapore T +65-6684-4718 sg@hikvision.com

Hikvision Spain T +34-91-737-16-55 info.es@hikvision.com

Hikvision Tashkent T +99-87-1238-9438 uzb@hikvision.ru

Hikvision Hong Kong T +852-2151-1761 info.hk@hikvision.com **Hikvision Russia** T +7-495-669-67-99 saleru@hikvision.com

Hikvision Korea T +82-{0}31-731-8817 sales.korea@hikvision.com

Hikvision Poland T +48-22-460-01-50 info.pl@hikvision.com

Hikvision Indonesia T+62-21-2933759 Sales.Indonesia@hikvision.com

Hikvision Colombia sales.colombia@hikvision.com