


**DS-K3B220X-BASE**  
**Fixed Base**

- Fixed base for DS-K3B220LX series and DS-K3B220X series
- -S for single lane with 2 pedestal , -M for extend more lanes


## ▪ Specification





General	
Lane width	650mm/750mm/900mm/950mm
Dimensions	-S: (Without packaging) 650: 943 mm × 1475 mm × 35 mm (37.1" × 58.1" × 1.4") 750: 1043 mm × 1475 mm × 35 mm (41.1" × 58.1" × 1.4") 900: 1193 mm × 1475 mm × 35 mm (47.0" × 58.1" × 1.4") 950: 1243 mm × 1475 mm × 35 mm (48.9" × 58.1" × 1.4") -M: (Without packaging) 650: 797 mm × 1475 mm × 35 mm (31.4" × 58.1" × 1.4") 750: 897 mm × 1475 mm × 35 mm (35.3" × 58.1" × 1.4") 900: 1047 mm × 1475 mm × 35 mm (41.2" × 58.1" × 1.4") 950: 1097 mm × 1475 mm × 35 mm (43.2" × 58.1" × 1.4")
Weight	Reserved
Material	Pedestal installation area: SUS304 Lane: Aluminum plate (with pattern) Framework: Galvanization panel

## ▪ Available Model

DS-K3B220X-BASE650-M, DS-K3B220X-BASE650-S, DS-K3B220X-BASE750-M, DS-K3B220X-BASE750-S, DS-K3B220X-BASE900-M, DS-K3B220X-BASE900-S, DS-K3B220X-BASE950-M, DS-K3B220X-BASE950-S

## ▪ Dimension





**Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
www.hikvision.com



Follow us on social media to get the latest product and solution information.

