



Hikvision Video Intercom

A Simple Touch

- Step Up to a New Level of Convenience

Video intercom systems have evolved far beyond answering calls and swiping cards. Today, they incorporate advanced features that enhance security and convenience. As a leading IoT solution provider, Hikvision leverages its innovative technology and professional R&D expertise to deliver intelligent video intercom solutions.

Designed for apartments, suburban villas, offices, and other commercial settings, Hikvision's Video Intercom systems offer exceptional image quality and practical features, including mobile controls, intuitive touchscreens, and user-friendly interfaces, ensuring seamless and modern communication.

PRODUCT HIGHLIGHTS


All-in-one Management

- Unified control centre for homes and businesses
- Easy third-party application integration with embedded Android system
- Management of all Hikvision devices and systems with visualised interfaces



Mobile Control

- Cruise through daily operations with the mobile Hik-Connect App
- Talk to visitors, receive calls, play back videos, and unlock doors remotely from anywhere, at any time



User-friendly Touchscreen

- Intuitive operation with a better experience
- Modern design perfectly suits home and office environments
- Easy configuration via Wizard



Great Image Quality



2MP



WDR



Low-illu




Large FOV

- Professional video capabilities deliver brilliant video quality
- Clear imaging, even in environments with low light or strong backlight
- Large field-of-view imaging




Intelligent Authentications


- Supports cards, PIN codes, and biometric recognition
- Enjoy touch-free access
- No need to surrender cards when entering




Face



Fingerprint



Card



PIN Code

Apartment door station

Ultra series door station



DS-KD9633 series

2.5D Curved 10-inch IPS Touch Screen
Ultra thin fuselage
IP65, IK07
Intelligent authentications (In-screen card reading, PIN code, biometric recognition)
Optional modules available



DS-KD9403 series

8-inch IPS touch screen
IP65
Multiple intelligent authentications: Card, PIN code, QR code, fingerprint & face recognition
Optional modules available

Pro series apartment door station



DS-KD3003 series

3.5-inch colour LCD screen
Aluminium alloy door station



DS-KD9203 series

4.3" colour LCD screen
door station
Fingerprint version available



DS-KD9203-M series

4.3" screen aluminium alloy door station

Ultra series villa door station



DS-KV9503-WBE1

4.3-inch IPS touch screen
800 × 480 display resolution
IP65, IK08
Multiple authentication methods: face, card, QR code, PIN code



DS-K1T502DBWX-C

Access control
Villa door station
2MP camera
Built-in card reader
IP65, IK09
Wi-Fi

Pro series villa door station



DS-KV8113-WME1(C)

Standard PoE
2MP camera
Built-in card reader
IP65, IK08
One push button
Wi-Fi



DS-KV8213-WME1(C)

Standard PoE
2MP camera
Built-in card reader
IP65, IK08
Two push button
Wi-Fi



DS-KV8413-WME1(C)

Standard PoE
2MP camera
Built-in card reader
IP65, IK08
Four push button
Wi-Fi

Value series villa door station



DS-KV6133-WME1

Standard PoE
2MP camera
Built-in card reader
IP65
Wi-fi
Metal frame with a vandal-proof glass panel



DS-KV6113-PE1(C)

Standard PoE
2MP camera
Built-in card reader
IP65



DS-KV6113-WPE1(C)

Standard PoE
2MP camera
Built-in card reader
IP65
Wi-fi

Pro series modular door station

Main Unit



DS-KD8003-IME1(B)

2MP fisheye camera
IR supplement
IP65
12V DC or standard PoE



DS-KD8003-IME1(B)/S

Stainless steel
IR supplement
IP65
12V DC or Standard PoE
Seamless calling with one button



DS-KD8003-IME1(B)/NS

Stainless steel
IR supplement
IP65
12V DC or Standard PoE
No physical button

Sub-module



DS-KD-BK

Blank Module
IP65



DS-KD-E

EM Card Reader Module
125 KHz
IP65
Backlight function



DS-KD-M

Card Reader Module 13.56
MHz
IP65
Backlight function



DS-KD-IN

Indicator Module
IP65
Backlight function



DS-KD-DIS

Display Module
3.5-inch LCD
IP65
Backlight function



DS-KD-TDM

Touch Screen Display Module
IP65, IK08
3-in-1 module
In-screen card reader
Self-defined modes



DS-KD-KP

Keypad Module
IP65
Backlight function
Blind spot design



DS-KD-KP/S

Keypad Module
IP65, IK07
Stainless steel
Backlight function
Blind spot design



DS-KD-MFB

Fingerprint & Card Reader Module
Module connection with RS-485
IP65
Card or fingerprint unlock
(Bluetooth reserved)



DS-KD-PMR

Induction Loop & Information Module
Antenna for hearing aids
IP65
Simple connection to KD8003/KD9005
Calling, opening door and two-way audio



DS-KD-K12

Nametag module
Module connection with RS-485
12 call buttons
IP65



DS-KD-KK

Nametag Module
With 6 call buttons
IP65
Backlight function

Indoor Station

Ultra series indoor station



DS-KH9310-WTE1(B)

7-inch IPS touch screen
Android version 10
Standard PoE
Built-in Hik-connect for all-in-one
management
Easy integration with Android application
Wi-Fi supported



DS-KH9510-WTE1(B)

10-inch IPS touch screen
Android version 10
Standard PoE
Built-in Hik-connect for all-in-one
management
Easy integration with Android application
Wi-Fi supported

Pro series indoor station



DS-KH8520-WTE1

10-inch LCD touch screen
Standard PoE
Mobile APP supported
Wi-Fi supported



DS-KH8350-(W)TE1


7-inch LCD touch screen
Standard PoE
Mobile APP supported



DS-KH6350-WTE1

7-inch LCD touch screen
Standard PoE
Mobile APP supported
Wi-Fi supported

Value series indoor station



DS-KH6320-LE1(B)

7-inch LCD touch screen
Standard PoE



DS-KH6110-WE1

4.3-inch LCD touch screen
Standard PoE

2-wire HD video intercom

2-wire module Door Station



DS-KD7003EY-IME2

Main unit
Stainless steel
CMOS 2MP HD colour camera
0/1/2 flexible call button



DS-KD7003EY-IME2/Aluminum

Main unit
Aluminum version



DS-KD7000EY-ME2


Main unit
Stainless steel version
Without camera



DS-KD7000EY-ME2/Aluminum

Main unit
Aluminum version
Without camera

Indoor Station




DS-KH7300EY-(W)TE2/White

7" touch-screen



DS-KH7300EY-(W)THE2/White

7" touch-screen
With handset



DS-KH7300EY-(W)TIE2/White

7" Touch-Screen with
induction loop (PMR)



DS-KH7100EY-WE2/White

4.3" Non-Touch-Screen

Distributor



DS-KAD7060EY

Main Distributor
6 Two-Wire Interface to
connect indoor station



DS-KAD7060EY-S

Distributor for multi-buildings



DS-KAD7061EY

Floor shunt

Accessory



DS-KAW150-4N

Power supply for DS-KAD7060EY &
DS-KAD7060EY-S
Output: 48 VDC
150W
Din rail mounting



DS-KA-RL1E2

Relay module for 2 wire HD system
Control extra lock/light/bell
Powered by 2 wire
Din rail mounting



DS-KDE-ACR3




















3 module accessories
Used for retrofit 3rd party
3 module flush mounting box

Notes:

The indoor stations are available in black. We can discuss further details based on your specific requirements.
Mounting accessories and other sub-modules (except for the DS-KD-DIS) are the same as those for the IP version of the modular door station.
Please refer to the specifications for the complete list.

IP Video Intercom Kit

A simple touch – Step up to a new level of convenience

					
	DS-KIS604-S(C)	DS-KIS602(B)	DS-KIS604-P(C)	DS-KIS608-P	DS-KIS603-P(C)
Video	2 MP, H: 124°, V:75°	2 MP, H: 146°, V:82°	2 MP, H: 124°, V:75°	2 MP, H: 129°, V:75°	2 MP, H: 131°, V:78°
Screen	7" touch screen	7" touch screen	7" touch screen	7" touch screen	7" touch screen
Door Station Materials	Metal	Metal + Plastic	Metal	Metal	Plastic
Door Station Protection Level	IP65, IK08	IP65	IP65, IK08	IP65	IP65
Lock Control	2	2	2	1	1
Captured Pictures	✓	✓	✓	✓	✓
Indoor Station Wi-Fi	✓	✓	✓	✓	✓
Mobile Control	✓	✓	✓	✓	✓
Door Open Methods	  	 	  	  	  
Capacity	Indoor station: 1 + 16 (max.) Door station: 1 + 16 (max.)	Indoor station: 1 + 16 (max.) Door station: 1 + 16 (max.)	Indoor station: 1 + 16 (max.) Door station: 1 + 16 (max.)	Indoor station: 1 + 16 (max.) Door station: 1 + 16 (max.)	Indoor station: 1 + 16 (max.) Door station: 1 + 16 (max.)
Kit Includes	DS-KV8113-WME1(C) x 1, DS-KH6320-WTE1 x 1, 4 port standard PoE switch x 1, 32GB TF card x 1	DS-KD8003-IME1(B)/Surface x 1, DS-KH6320-WTE1 x 1, 4 port standard PoE switch x 1, 32GB TF card x 1	DS-KV8113-WME1(C) x 1, DS-KH6320-WTE1 x 1, PSU x 2, 32GB TF card x 1	DS-KV6133-WME1 x 1, DS-KH6350-WTE1 White x 1, PSU x 2, 32GB TF card x 1	DS-KV6113-WPE1(C) x 1, DS-KH6320-WTE1 x 1, PSU x 2



Excellent
Image Quality



Hik-Connect
App



Friendly
Touch Screen



















Video Security
Integration

IP Video Intercom Kit

2-Wire Video Intercom Kit

Easy deployment & easy retrofit

					
	DS-KIS606-P	DS-KIS605-P(C)	DS-KIS704EY	DS-KIS703Y-P	DS-KIS702Y-P
Video	2 MP, H: 131°, V:78°	2 MP, H: 131°, V:78°	2 MP, H: 133°, V: 82°	2 MP, H: 140°, V: 85°	2 MP, H: 146°, V: 82°
Screen	4.3" touch screen	7" touch screen	7" touch screen	7" touch screen	7" touch screen
Door Station Materials	Plastic	Plastic	Stainless steel	Stainless steel	Aluminum
Door Station Protection Level	IP65	IP65	IP65, IK08	IP65	IP65
Lock Control	1	1	2	2	2
Captured Pictures	✓	—	✓	✓	✓
Indoor Station Wi-Fi	✓	—	✓	✓	✓
Mobile Control	✓	—	✓	✓	✓
Door Open Methods	  	 	 	 	 
Capacity	Indoor station: 1 + 16 (max.) Door station: 1 + 16 (max.)	Indoor station: 1 + 16 (max.) Door station: 1 + 16 (max.)	Door station: 1 + 16 (max.) Indoor stations: 99 PCS	1 to 1	Door station: 1 + 16 (max.) Indoor station: 1 + 16 (max.)
Kit Includes	DS-KV6113-PE1(C) x 1, DS-KH6110-WE1 x 1, DS-KABV6113-RS x 1, PSU x 2	DS-KV6113-WPE1(C) x 1, DS-KH6320-LE1(B) x 1, PSU x 2	DS-KD7003EY-IME2 x 1, DS-KD-ACW1/S x 1, DS-KH7300EY-WTE2/White x 1, DS-KAD7040EY x 1, 32GB TF card x1, 36W DIN RAIL PSU x1	DS-KV8103-IMPE2 x1, DS-KH6320-WTPE2 x1, DS-KAB8103-IMEX x1, PSU x 1	DS-KD8003Y-IME2/Surface x 1, DS-KH6320Y-WTE2 x 1, DS-KAD704Y x 1, PSU x 1, 32GB TF card x1



Plug & Play



Easy Retrofit



Hik-Connect App



Mobile Web

Accessories

Brackets for module door station

	Single Module Accessories	Dual Modules Accessories	Three Modules Accessories
Surface mounting/ Aviation aluminum	DS-KD-ACW1	DS-KD-ACW2	DS-KD-ACW3
Flush mounting/ Aviation aluminum	DS-KD-ACF1	DS-KD-ACF2	DS-KD-ACF3
Surface mounting/ Stainless steel	DS-KD-ACW1/S	DS-KD-ACW2/S	DS-KD-ACW3/S
Flush mounting/ Stainless steel	DS-KD-ACF1/S	DS-KD-ACF2/S	DS-KD-ACF3/S

Rain cover and compatible door station models



DS-KABV9503-RS

DS-KV9503-WBE1
Surface mounting



DS-KAB502-S1

K1T502 series
surface mount




DS-KABV6113-RS

KV6113 series
Surface mounting



DS-KABV8113-RS/Surface

KV8113 series
Surface mounting



DS-KABV8113-RS/Flush

KV8113 series
(Flush mounting)



DS-KAB13-D

DS-KD3003



DS-KABV6133-RS

KV6133 series
surface mount



DS-KABD8003-RS1

1 module surface mounting of
the modular door station



DS-KABD8003-RS2

2 module surface mounting of
the modular door station



DS-KABD8003-RS3

3 module surface mounting of
the modular door station



DS-KABD8003-RS1/S

Stainless Steel, 1 module
surface mounting of
the modular door station



DS-KABD8003-RS2/S

Stainless Steel, 1 module
surface mounting of the
modular door station



DS-KABD8003-RS3/S

Stainless Steel, 1 module
surface mounting of the
modular door station