

HIKVISION[®]

Alarm System



MinMoe



Video Intercom



ColorVu Live Guard Camera



HIK-CONNECT ECO SYSTEM



Learn more



Peace Of Mind At Your Finger Tips
Manage All Your Security Devices From A Single App

Video Intercom

- Answer calls – Live view & two-way audio
- Release electronic door (electric lock required)
- View CCTV cameras from indoor station
- Arm/Disarm alarm system & "Live-Guard Camera Solution" from Android indoor station



Hikvision Alarm System

- Arm/Disarm via HikConnect app
- Instant video verification
- Check device status on the go



CCTV

- Live view, search and playback
- Save snapshots & record video "on the fly"
- Live view and record the intercom door station camera




Upgrade

"Warning! This is restricted area."



Live-Guard Solution

- Arm/Disarm live guard cameras
- Active deterrence with flashing LED & audible alert
- Two-way audio via the built-in speaker and microphone
- Smart detection – human/vehicle classification
- Receive alarms with video verification
- Synchronise arm/disarm status from alarm system



Hik-Connect

Unified Security, From Residence to Business

- **Easy Device Management with One App:** Access and control all your devices effortlessly through a single app, anytime and anywhere
- **Versatile Solutions:** Perfect for residential and SMB applications
- **Team Mode:** Customised for offices, warehouses, chain stores, and communities
- **Personal Mode:** Tailored for homes, small businesses, and other individual needs



Scan to download the latest version

Recommended Products – CCTV

DS-2CD2387G3-LIS2UY/SL

ColorVu 3.0 Camera



- 24/7 vivid colour imaging
- Three supplemental lighting modes available
- Target classification
- Active strobe light and audio to warn intruders off
- High quality imaging with 4K resolution
- Super Confocal Lens with F1.0

DS-2CD2366G2H-IS2U/SL

AcuSense Live Guard Camera



- Target classification
- Active strobe light and audio alarm to warn intruders off
- 120dB WDR
- Two-way audio with built-in mic and speaker
- Super Confocal lens with F1.0

DS-2XC3386G0H-LISU/SL (PA)

HeatPro Thermal Camera



- Thermal: 256 x 192, 12µm
- Optical: 4MP, 2668 x 1520
- High accuracy target classification
- Suitable for no light environment
- Active strobe light and audio to warn intruders off
- Two-way audio with built-in mic and speaker

DS-7608NXI-I2/8P/Vpro

M Series 8ch PoE NVR



- 8ch IP input with PoE, plug & play
- Up to 8-ch AcuSeek and AcuSearch function
- I/O Bandwidth: 96Mbps/256Mbps
- 2 HDD bays, up to 16TB per HDD

DS-2CD2387G3P-LIS2UY/SL

Panoramic 4K ColorVu Camera



- 4K resolution
- 180° degree field of view
- 24/7 vivid colourful imaging
- Target classification
- Active strobe light and audio alarm to warn intruders off
- 130dB WDR
- Two-way audio with built-in mic and speaker
- Three supplement light modes available

DS-2XC3386G0H-LISU/SL (PA)

Polymer Anti-Corrosion Camera



- Highest level of Anti-corrosion resistance
- 24/7 vivid color imaging
- Three supplemental lighting modes available
- Active strobe light and audible warning

DS-2SE3C404MWG-E/14

TandemVu 4MP+4MP 4X POE PTZ Network Camera



- Captures a large area and great details at the same time
- Target classification
- 4x optical zoom and 16x digital zoom
- Supports WDR, HLC, BLC, 3D DNR, defog, regional exposure, regional focus
- 12V DC, PoE+

DS-2SE4C425MWG-E/26(F0)

TandemVu 6MP + 4MP 25X Colour & IR Panoramic & PTZ Camera



- Captures a large area and great details at the same time
- Target classification
- 6MP Panoramic ColorVu fixed lens
- 4MP IR PTZ 25x zoom
- IP66, 12V DC, PoE+

Recommended Products – Intrusion Alarm

Wireless Solution

Black is available in select models

DS-PWA96-Kit-WB/12V

AX PRO Wireless Alarm Kit



- 1 x Alarm panel, DS-PWA96-M-WB/12V
- 1 x Remote, DS-PKF1-WB
- 1 x PIR, DS-PDP15P-EG2-WB
- 1 x Magnetic Contact, DS-PDMC-EG2-WB
- Support up to 96 zones
- LAN, WiFi, 3G/4G communications
- Supports back-to-base monitoring
- Supports arming/disarming via keypad, keyfob, tag, SMS, mobile APP

DS-PS1-I-WB

Wireless Internal Sounder



- Up to 900 m transmission distance
- Up to 110 dB sounder output
- Fully remote configurable through App

DS-PS1-E1-WB(B)

Wireless External Sounder



- Up to 900 m transmission distance
- Up to 110 dB sounder output
- IP 65
- 4 CR123A/12 VDC

DS-PDPC12PF-EG2-WB

Wireless PIR Camera



- Up to 800 m transmission distance
- Detection range: 12m/85.9°
- 24/7 colourful imaging
- Up to 20 photos fused into a GIF

DS-PK1-LT-WB(B)

LCD Keypad with Card Reader



- Up to 800m transmission distance
- Arm, disarm, and silence alarm operation
- Output control
- One-key fire, panic, medical alarms

Wired & Wireless Hybrid Solution

DS-PHA64-LP(B)

Hard Wired Alarm Panel



- 8 on-board zones, 4 on-board outputs
- 56 zones expandable
- Support wireless detectors (wireless receiver required)
- LAN, WiFi, 3G/4G communications (optional)
- Supports back-to-base monitoring
- Supports arming/disarming via keypad, keyfob, tag, SMS, mobile APP

DS-PDP18-EG2(B)

Wired PIR Detector



- Up to 18m volumetric detection coverage
- 10kg pet-immunity within 10m
- Anti-insect infestation
- Anti-interference IFT technology

DS-PK1-LRT-HWB

Wired LCD Keypad



- Supports arming and disarming by swiping cards
- Supports remote arming and disarming via keyfob
- One-push to arm (arming without password)
- Supports user-friendly operation menu
- Supports fire/panic/medical alarm key
- Supports 2 on-board alarm inputs and 1 on-board alarm output

DS-PM1-RT-HWB

Hybrid Wireless Receiver



- Up to 32 wireless detectors
- Up to 4 wireless indoor sounders
- Up to 8 wireless outdoor sounders

Recommended Products – Intercom & Access Control

IP Intercom

DS-KD8003-IME1(B)/S

Stainless Steel IP Intercom Door Station



- Modular design, expansion-ready with various modules
- 2MP HD fisheye camera
- 1 call button, 2 relay for door lock control
- Standard PoE, IP65
- Stainless steel enclosure options for surface/flush mount

DS-KV6133-WME1

Villa Intercom Door Station



- 2 MP camera with IR supplement
- One button calling design for easier calls
- Built-in card reader module
- Standard PoE power supply
- IP65 protection level with aluminum alloy casing
- Call directly to Hik-Connect APP without indoor station

DS-KV6124-WBE1

Pro Series Villa Door Station



- 4.3-inch IPS touch screen
- 800 × 480 display resolution
- IK08 & IP65 higher protection level
- Multiple authentication methods: face, card, QR code, PIN code

DS-K1T502DBWX-CQRE1

All-in-One Vandal-Proof Door Station



- Access control and intercom functions in one device
- Supports temporary passcode and dynamic QR code authentication via Hik Connect Team Mode
- IP65 & IK09 protections
- Supports multiple authentication methods (card, PIN, QR code, etc.)
- Connects to external access controller via Wiegand protocol
- Support powered by PoE

DS-KH9570-WTE1

10 Inches Android Intercom Tablet Door Station



- 10.1-inch 2.5D IPS colorful touch screen with resolution 1920*1200
- Android version 14
- 2 built-in omnidirectional microphone, 2 built-in loudspeaker
- Standard PoE
- TF card, max 256G
- 8-ch alarm input, 1 x relays, 1 x 485

Intercom Kit

DS-KIS602(B)

IP Intercom Kit



- 1 x Surface Mount Door Station
- 1 x Indoor Station
- 1 x 4 port PoE Switch
- 1 x 16GB TF Card
- Support extension door and indoor stations

DS-KIS708EY

Two-Wire HD Intercom Kit



- 1 x Door Station
- 1 x Indoor Station
- 1 x 32GB TF Card
- 1 x Rain Shield

DS-KIS603-P(C)

Villa IP Intercom Kit



- 1 x POE Villa Door Station
- 1 x KH6 Series IP-Based Indoor Station
- 2 x Power Supply
- One-press call button for easier calls
- Convenient Hik-Connect APP mobile control

Access Control Terminal

DS-K1T344MBWX-QRE1

Face Recognition Access Terminal



- 4.5-inch LCD touch screen
- Powered by PoE or 12 VDC
- Supports face, card, PIN, and QR code authentication
- Max.3000 faces capacity, and Max.3000 cards
- Two-way audio with client software, indoor station and main station.
- Supports mobile web and PC web configuration

More Products

Networking Products



DS-3E1510P-EI

Smart Managed PoE Switch

- Smart Managed
- 8 x Gigabit RJ45 PoE ports
- 2 x Uplink Gigabit RJ45 port



DS-3T1528HP-SI-24P4F

Industrial PoE Switch

- Smart Managed
- 24 x Gigabit PoE ports
- 4 x Uplink Gigabit SFP ports
- Wider Temperature: -40~75°C
- Port 1-4: Hi-PoE 90w



DS-3WF1000-E1-2N/P

1KM Wireless Bridge Kit

- 2.4Ghz 300Mbps 1KM PoE Kit
- Auto Pairing
- Standard PoE Input & Output
- HPP, Web Management

Audio Products



DS-QAE1A80G1-VB/ST

IP Amplifier

- Network amplifier 2 zones, 40W each zone
- Support multiple types of audio source input: Bluetooth, USB flash drive, microphone, RCA and FM radio
- Support schedule play task
- Support TTS speech synthesis and text broadcasting



DS-QAZ0610G1

Analog Speaker

- 9.5inch Analog in-ceiling speakers 10W Rated
- 1.0-inch tweeter and 6.5-inch woofer
- 98dB@1m Rated Maximum SPL
- Framless Design, white or black colour



DS-QAZIMP10G1

IP Microphone

- Gooseneck Mic, external speaker, and handset for talking
- 10.1-inch color IPS touch screen, 1280X800 resolution
- Manage up to 50 IP audio devices
- Powered by POE

SMB Solution for Houses

Hikvision's SMB solutions for houses prioritize security and convenience, empowering property owners with advanced technologies and systems for enhanced safety, seamless control, and peace of mind.



SMB Solution for Stores

Hikvision's SMB solutions for stores address essential needs and unmet demands of retailers, empowering them for smarter operations, enhanced security, and more insightful business decisions.

Video Security
Entrance & Exit / Cashier Area / Shelves / Warehouse



Live Guard ColorVu 3.0

Turret Network Camera
DS-2CD23X7G3-LIS2UY/SL



AcuSense AcuSeek

NVR with AcuSense
DS-76xxNXI-lx/xP/VPro



Smart Managed Switch
DS-3E1510P-EI



Centralized Management
Hik-Connect | Team Mode

Access Control & Time Attendance
Store Entrance / Warehouse

MinMoe
MinMoe Terminal



DS-KIT673TDX



DS-KIT344MBFWX-EI

PA/BGM System
Shopping Area



Network Main Speaker
DS-QAE1A80G1-VB/ST

Audio cable



Network Sub Speaker
DS-QAZ0610G1

In-store BI
Entrance & Exit / Shopping Area



Heat Map Fisheye Camera
DS-2CD3956G2-IS(U)



People Counting Camera
DS-2CD6825G0/C-IVS

SMB Solution for **Small Offices**

Hikvision's SMB solutions for offices offer integrated software and hardware systems, simplifying the management and operation of security, access control, attendance, and conferences, on-site or remotely.

Video Security

Perimeter / Reception / Aisle / Confidential Room / Entrance



Live Guard ColorVu 3.0

Network Camera
DS-2CD2T87G3-LIS2UY/SL



ColorVu

Network Camera
DS-2CD27x7G2H-LIPTRZS(2U/SL)



AcuSense Technology AcuSeek

NVR with AcuSense
DS-76xxNXI-lx/xP/VPro

Access Control & Time Attendance

Entrance/Reception / Confidential room

MinMoe
MinMoe Terminal



DS-KIT673TDX



DS-KIT344MBFWX-EI



Smart Managed Switch
DS-3E1510P-EI



Centralized Management
Hik-Connect | Team Mode

Alarm System

Working area / Confidential room / Stairs



AX PRO Control Panel
DS-PWA64-L-WB



PIRCAM Detector
DS-PDPC12PF-EG2-WB(B)



Curtain PIR Detector
DS-PDC15-EG2-WB(B)



PERSONAL MODE (Individual Users)



Hik-Connect
Unified Security, From Residence to Business

Team Mode (SMB Application)



Mobile APP

Portal + App

HIK-CONNECT FOR PERSONAL

Security at the tap of your finger

Safeguard your house, loved ones, or small business with Hik-Connect's Personal Mode. It's never been easier to control entire security system all through a single, intuitive app.

 **Remote Management**
Stay connected on the go

 **Easy-to-use**
Interact with taps and swipes

 **Notifications and Alerts**
Accurate and timely

 **Trustworthy**
Stay secure with all data encrypted




Equipped with AcuSeek Intelligent Video Search

- A new experience enabled by fast voice and text search
- Multi-language search support for greater flexibility
- Accurately retrieves results by understanding time and location in your description




Deter would-be trespassers and see exactly what triggered an alert

- Receive instant push notifications
- Arm or disarm your system with a few taps
- Check real-time 7s' video clips or up to 20 photos



See and speak to whoever's there and let the right person in remotely

- Two-way video calls with visitors before granting access
- Lock and unlock doors using your mobile device



Unified management at hand

Imagine all your security components working as one, opening up endless possibilities for interoperation. It's all here, with Hik-Connect.




PERSONAL MODE (Individual Users)



Hik-Connect
Unified Security, From Residence to Business

Team Mode (SMB Application)



Mobile APP

Portal + App

HIK-CONNECT FOR TEAMS

Scalable security anytime and anywhere


Simplify security management across multiple locations with Hik-Connect Team Mode. Designed for more demanding business settings, it caters to various multi-user management scenarios from offices to chain stores and communities.

 **Lightweight**
Accessible via web and phone

 **All in one**
Manage everything in one platform

 **Cloud-based deployment**
Fast, safe and time-saving

 **High scalability**
Grow in scope and size as needed



Streamlined multi-site management

- Easily create multi-level zones and group multiple locations
- View all locations at once with Geographic Information System (GIS) mapping


Precise roles-based permissions

Take control of multi-location operations by assigning specific roles and permissions.




Elevated video monitoring experience

- Get simultaneous access remotely from mobile devices or web portal
- Allow to create a custom view for quick video checks
- Enable up to 3 auxiliary screens, meeting the needs of a large number cameras
- Intelligently retrieve videos for easy and swift investigation, with the ability to archive and share critical events



Recommended Applications



HIKVISION



@ Hikvision Australia and New Zealand