

AX HOME Series

Wireless Alarm System

Security Made Simple



HIKVISION®

Product Showcase

AX HOME Kit DS-PA201PS-Kit-32WA



AX HOME Control Panel DS-PA201PS-32WA

The control panel* boasts an energy-saving, considerably cost-effective platform for power consumption and cellular data usage. Its built-in battery life can last for at least 12 hours. Its communication range can be up to 2,000 m.

Easy to use

with sliding design, quick installation wizard, and plug & play feature for kits

Supports SMS / Phone notification:

multiple notification paths for information reporting, to prevent information delay or loss

Always available- **4** communication channels

Wi-Fi

2G

4G

LAN*

Suitable for special scenario installation

1 external 4G antenna, adapts to special requirements such as embedded installation

*Note: The AX HOME control panel is available in the Wi-Fi, Wi-Fi+2G and Wi-Fi+4G series, and the LAN module is sold separately.



Wireless Keyfob DS-PKF201-WA

The keyfob is easily portable and allows you to quickly arm/disarm the system and custom keys for more advanced functions. Its built-in battery life can last up to 2 years.

Easily portable

smart design, reserved space for lanyard

One-click connection

with battery pre-installed, it can be connected to the control panel directly

Custom keys

support more advanced operation (Silence Alarm/Silent Panic Alarm/Audible Panic Alarm)

Long communication distance

900 m (915Mhz)



Wireless Keypad DS-PK201B-WA

The keypad enables local arming / disarming with numerical keys. Four indicators display system status: fault, signal, arm and alarm. Its sliding design facilitates easy installation.

Physical button

easy to operate

Fire, panic and medical alarm

different alarm indication for events

Custom keys

support more advanced operation

Long communication distance

1,200 m (915Mhz)



Wireless PIRCAM DS-PD201PC10-WA

The PIRCAM offers picture verification for MC / users, with a 90° detection angle and 10 m range suitable for indoor environments. Its sliding design ensures easy installation.

Frequency hopping against jamming

for reliable transmission

Picture verification

supports QVA/QQVGA resolution up to 5/10 images

Pet-immunity

effective filtration of false alarms caused by small household animals, with up to 24 kg pet immunity

Long communication distance

1,000 m (915Mhz)



Wireless PIR Detector

DS-PD201P10-WA

The PIR detector covers a 90° detection angle and 10 m range, suitable for indoor use. Mount it at 2-2.4m height with its sliding design for easy installation.

Frequency hopping against jamming
for reliable transmission

Pet-immunity
effective filtration of false alarms caused by small household animals, with up to 24 kg pet immunity

Adjustable sensitivity
normal, high and low levels to choose from to adopt to different environments

Long communication distance
1,600 m (915Mhz)



Wireless Magnetic Contact

DS-PD201MC-WA

The magnetic contact can be easily mounted on doors, windows, or cabinets to detect illegal intrusions.

Frequency hopping against jamming
for reliable transmission

25 mm detection gap
accurate and sensitive door opening detection

Tool-free installation
attach to any place you want

Long communication distance
1,600 m (915Mhz)



Wireless Indoor Siren

DS-PS201-WA

The indoor siren can emit high-pitched alarm sounds and flashing lights to give out warning, with a sliding design for easy installation.

80-95 dB
alarm volume and duration adjustable


Strobe light and audio alarm
red/ blue flashlight alarm, with two models for you to choose from

Different buzzer for events
fire, panic, medical and intrusion alarm

Long communication distance
1,600 m (915Mhz)

What We Offer

Hikvision's AX HOME series wireless alarm system offers a cost-effective, reliable and user-friendly solution to protect your home. With intuitive app interfaces and wizards, you can effortlessly set up and take control of the system. Enjoy simplicity, low power consumption, quick response, and affordability with AX HOME Series.



Supports 4 communication channels

Including **Wi-Fi**, **2G**, **4G** and **LAN**

Easy integration with the Monitoring Center


SIA/CID protocols allow direct connection to MC or connection via Open Things Access Protocol (OTAP)

Hassle-free installation

Time-saving to assemble by sliding design

Instant alarm notification

Stay updated on what's happening around you with our self-developed wireless technologies



Monitoring Centre Canada

**ALTECH
STATION**

Brian Wong
604-439-9162
info@altechstation.com
www.altechstation.com



GROUP SECURITY
REMOTE VIDEO MONITORING

Sarthak Walia
604-321-9600
info@groupsecurity.ca
www.groupsecurity.ca

GLOBAL LINK

Eric Ruiz
888-293-1173 ext 335
hikvision@global-link.ca
www.global-link.ca



Stephanos Georgoudes
833-352-6822
stephanos@lanvac.com
1) Montreal, Quebec
2) Scarborough, Ontario
www.lanvac.com



www.hikvision.ca
techsupport.ca@hikvision.com



hikvision_ca



HikvisionCanada



hikvision.canada



Hikvision Canada



Hikvision Canada



Hikvision Canada