HIKVISION®

HikCentral

HikCentral Connect

SOLAR-PØWERED & CABLE-FREE

- UNLIMITED SECURITY!

Hikvision Integrated Solar-Powered Security Solution

In recent years, the global trend towards solar energy as a key component of lowcarbon initiatives has been growing all around the world.

Governments, businesses, and individuals have recognized the environmental and economic benefits of solar power, now becoming increasingly competitive with traditional sources of energy.

The security industry is joining this positive surge as well. For security systems in areas without available electricity or network connection, solar-powered devices provide two key advantages:

Firstly, they greatly reduce installation costs, thereby expanding opportunities for just about any budget.

Secondly, solar energy and wireless transmission can provide stable power supply and data transmission, overcoming long-standing limits to video security monitoring.

The increasing demand for environmentally-friendly solutions, coupled with advancements in solar power technology, means more and more security systems are being powered by the sun and connected wirelessly.

Unlocking New Security Possibilities with Cable-free Solar Power

Are you struggling to equip remote or standalone sites in rural or hard-to-reach areas? Installing power and data cabling in these areas poses significant difficulties, such as high costs, inaccessible terrain, and other challenges. Additionally, in a temporary application such as a construction site, for example, a fast and flexible security solution with easy setup and removal is what you need. Conventional security systems are often not equipped to handle these scenarios.

Hikvision's Integrated Solar-powered Solution breaks free from power and network cables, giving you a flexible and reliable way to manage outdoor standalone sites and temporary applications. That's right – power from the sun, wireless data, and high performance security video.

Read on to learn more details about these kits and how this solution can bring advanced security to your unique setting.

Allin

All-in-one solution Reduces power and data wiring costs



Always ready Fast and flexible for temporary deployment

HIKVISION[®]



Reliable performance Designed for various scenarios



Remote management Makes outdoor protection simple and convenient

INTEGRATED SOLUTION FOR STANDALONE SITE PROTECTION

Various Application Scenarios

Standalone sites typically lack basic infrastructure. High costs and difficult terrain for electricity and internet wiring pose serious challenges for security installations, plus the additional time required to complete the job.

0


Here, we provide 4G and wireless bridge solutions for areas without power supply and internet connection, making standalone site management flexible, reliable and simple.



Protect expansive properties with wide-angle cameras










cameras



No Power Cords or Internet Cables Required!

All-in-one solution - Powered by solar energy, and using 4G/wireless bridges, costs are vastly reduced. Poor infrastructure is no longer a barrier.



Sturdy Performance, Peace of Mind

Stable and reliable design - This integrated solution monitors 24/7 with sharp details and colour imaging. Our low-power, large-storage, and reliable solution system withstands strong winds and rainstorms.

Steady data transmission - The builtin 4G module resolves pain points around internet wiring. No 4G signal? No problem! Enjoy easy and fast data transmission via wireless bridges with no extra fees.



Remote Management, Stay Informed

Our integrated solution is managed via HikCentral Professional / HikCentral Connect, so it's efficient and easy. Our unified platform allows you to check the power and data flow of any connected camera and get instant notifications of events.

HIKVISION[®]



Protect outdoor public areas with solar-powered PTZ

Enhance remote highway safety with solar-powered varifocal cameras





Integrated Solar-Powered Security – 4G Solution Product Showcase







DS-2XS6A87G1-LS/C36S80

· 360WH+80W, 8MP

· AcuSense & ColorVu

· Average 24h power consumption: 2w

4G solar-powered varifocal bullet



DS-2XS6A46G1-IZS/C36S80

- · 360WH+80W
- · Focal Length:2.8-12mm, 8-32mm
- · Built-in storage 256GB/1TB



- 180WH+ 40W
- Supports ColorVu
- (Does not support NVR, support HCP in performance mode, support HCC)

HikCentral Connect V1.3



HIKVISION[®]



4G solar-powered PTZ kit

DS-2DE5425IWG-K/4G

- · 360WH+80W
- Supports PTZ
- · Built-in storage 256GB



- Two 9~12.6 VDC interfaces, 30W max
- Four batteries with 360 WH power
- · 80 W solar panel

Solar power kit

DS-2XS6K01-C36S80

DS-2XS6K02-C36S80* *(External power compatible)

• A solar-powered camera kit can add a solar power kit to expand the total power supply

NVR


DS-76xxNI-M2 (xx=08, 16) DS-77xxNI-M4 (xx=16, 32) DS-96xxNI-M8 (xx=16, 32, 64)



- · xx=Up to xx-ch IP Camera inputs;
- DS-76xxNI-M2 & DS-77xxNI-M4
 xx=08: Up to 8-ch@8 MP decoding capacity;
 xx=16: Up to 16-ch@4 MP decoding capacity
 xx=32: Up to 32-ch@1080p decoding capacity;
- DS-96xxNI-M8:
 Up to 32-ch@1080p decoding capacity;

HikCentral Professional V2.4.1

Integrated Solar-Powered Security – Wireless Bridge Solution Product Showcase



 DC 12V output interface to power the wireless bridge

Solar-powered fixed bullet kit	
DS-2XS6A47G1-LS/C36S80 DS-2XS6A87G1-LS/C36S80	
· 360WH+80W, 4MP/8MP	
· AcuSense & ColorVu	
Average 24h power consumption	n: 2w
DC 12V output interface	
Low power	
consumption camera	
DS-2CD3xx6G2(H) DS-2CD3xx6G2H	DS-2TD2628-3/0
Low power consumption mode	
can reduce power consumption	inemal G
by approximately 40%	
DS-2XS6K01-C36S80 DS-2XS6K02-C36S80 (External power compatible) • Two 9~12.6 VDC interfaces, 30V a camera and a wireless bridge s • Four batteries with 360 WH pow • 80 W solar panel • Solar-powered camera kit can ac kit to expand the total power sup	simultaneously er dd a solar power
NVR DS-76xxNI-M2 (xx=08, 16)	 xx=Up to xx-cl DS-76xxNI-M2 xx=08: Up to 8 xx=16: Up to 16
DS-77xxNI-M4 (xx=16, 32) DS-96xxNI-M8 (xx=16, 32, 64)	xx=32: Up to 3

HIKVISION[®]



HikCentral Connect V1.3



Solar-powered thermal camera kit

DS-2TXS2628-3P/QA/GLT/CH30S80 DS-2TXS2628-7P/QA/GLT/CH30S80 DS-2TXS2628-10P/QA/GLT/CH30S80

- · 256 × 192 resolution, 12 μm, VOx UFPA, NETD < 40 mK (25°C, F1.0)
- · Video content analysis: vehicle/human classification
- · 80 W photovoltaic panel, 30 Ah chargeable lithium battery
- · Temperature exception alarm for fire prevention, -20°C to 150°C (-4°F to 302°F), ± 8°C (± 14.4°F)
- · LTE-TDD/LTE-FDD/WCDMA 4G wireless network transmission, support Micro SIM card
- Water and dust resistant (IP67)
- · Embedded audible alert and strobe light
- · High quality detector with 10 years guarantee

Battery

DS-2FSC09-L

- · 90Wh battery module
- · Supports 12VDC power supply for charging



Hikvision Australia T +61-2-8599-4233 salesau@hikvision.com

Hikvision Italy

+39 0438 6902

Hikvision Mexico

Hikvision Spain T +34 91 737 16 55

info.es@hikvision.com

info.it@hikvision.com

Hikvision Azerbaijan +994 50 369 81 57 Azerbaijan CATC@hikvision.com

Hikvision Czech T +420 29 6182640 info.cz@hikvision.com

Hikvision Egypt T+20223066117 sales.eg@hikvision.com

Hikvision Hong Kong , China Hikvision Hungary KFT sales.hk@hikvisi info.hu@hikvision.com

Hikvision Kazakhstan

T +7 (727) 291-75-88 support@hikvision.kz

Hikvision New Zealand T +52 55 2624 0110 T 09 217 3127 salesnz@hikvision.com sales.mexico@hikvision.com

Hikvision Poland Hikvision Russia T +48 22 460 01 50 T+7-495-669-67-99 info.pl@hikvision.com saleru@hikvision.com

> Hikvision Tashkent T +99-87-1238-9438 uzb@hikvision.ru

Hikvision UK & Ireland T +44(0)1628 902 140 info.uk@hikvision.com

Hikvision Uzbekistan T+998-71-233-55-50 uzbekistan@hikvision.com

hikvision_ca

You

Hikvision USA

20 Hikvision

2355 Skymark Avenue, Suite 300, Mississauga, ON, L4W 4Y6

Technical Support: techsupport.ca@hikvision.com

in Hikvision Canada

f Hikvision Canada

Toronto Office

Tel: +1-855-655-9888 (Toll-free)

Hikvision Canada

Hikvision Brazil T +55-11-3318-0050 Latam.support@hikvision.com

Hikvision Europe T +31 23 5542770 sales.eu@hikvision.com

T +91-22-6855 9944 sales@pramahikvision.com

Hikvision India

Hikvision Kenva wangchengbin@hikvision.com

Hikvision New Panama Sales centralamer @hikvision.com

Hikvision Romania marketing.ro@hikvision.com

Hikvision Thailand sales.thailand@hikvision.com

T +1-909-895-0400 sales.usa@hikvision.com Hikvision Canada T +1-866-200-6690 sales canada@hikvision com

Hikvision France T +33(0)1 85 330 450 info.fr@hikvision.com

Hikvision Indonesia T +6221 2933 9366 Sales Indonesia@hikvision.com

Hikvision Korea T +82-1661-8138 sales.korea@hikvision.com

Hikvision Pakistan T+92-2135147526 support.pk@hikvision.com

Hikvision Singapore T +65 6684 4718 sg@hikvision.com

Hikvision Turkey T +90 216 521 70 70 support.tr@hikvision.com

Hikvision Vietnam T +84 24 7300 7586 sale.vn@hikvision.com Hikvision Colombia sales.colombia@hikvision.com

Hikvision Germany sales.dach@hikvision.com

Hikvision Israel T +972 79 5555590 sales israel@hikvision.com

Hikvision Malavsia T +60327224000 sales.my@hikvision.com

Hikvision Philippines support.ph@hikvision.com

Hikvision South Africa T +27 877018113 sale.africa@hikvision.com

Hikvision UAE T +971-4-4432090 salesme@hikvision.com

Hikvision Corporate Channel



INTEGRATED SOLAR-POWERED SECURITY SOLUTION

N-F