



### **Access Control and Video Intercom Solutions**

Protecting your business, your home, and your property with intelligent mobile video and audio surveillance

Access control systems serve a critical role in any sensitive area, allowing only the right persons to enter at a given time. Multiple configurations cater to various budgets and needs, ranging from the simplest card reader, to the now commonly used fingerprint terminals, to the algorithm-enabled facial recognition terminal.

As customer requirements grow more complex, a single solution can no longer fulfill every need. That's why you can combine our access control systems' various authentication methods, such as ID cards, fingerprints, passwords, facial images, and QR codes, just to name a few.

In addition to basic functions, Hikvision hardware extends to advanced access management through anti-passback, combined authentications, interlocking, and more. With the professional management software makes device registration, management, and personnel registration much easier.



#### **Access Control and Video Intercom Solutions**





# Access Control Kits DS-K2604-KIT/DS-K2602-KIT

Packaged for Convenience

A ready-to-go package that includes everything you need to either get you started or, simplify larger installations.

### Specifications DS-K2602/2604-G Access Controller:

- 32-bit High-speed Processor
- Encrypted Communication Data
- RS-485 and Wiegand Card Reader Interface
- UL294
- Anti-Passback, Multi-Card, First Card, Super Card and Super Password Functions

#### DS-K1107AMK Card Reader:

- 32-bit High-speed Processor
- RS-485 and Wiegand Protocol, OSDP Protocol
- Tampering Alarm
- Keypad
- Built-in Buzzer to Identify the Reading Status

#### **IC S50 Mifare Card:**

- Mifare 1 Non-contacting IC Card x 25
- ISO/IEC 14443A Standard

#### **HikCentral Professional License**

• 32-video Channels and 4-door

## MinMoe Face Recognition Terminal DS-K1T342DWX

Touch-Free Access

This face recognition terminal adopts a deep learning algorithm, which helps it to recognize the face faster and with higher accuracy. It also supports multiple authentication modes: face/card authentication, etc. It can be applied in multiple scenarios, such as buildings, enterprises, financial industries, and other important areas.

#### **Specifications**

- Max. 1500 faces capacity, and Max. 3000 cards
- Face Recognition Terminal, 4.3-inch LCD Touch Screen, Mega pixel wide-angle lens, built-in Mifare/Felica/DESfire card reading module
- Two-way audio with client software, indoor station, and main station; Supports TCP/IP, Wi-Fi
- Supports ISAPI, ISUP 5.0
- Configuration via the web client
- Face Recognition Distance: 0.3 m to 1.5 m
- Duration < 0.2 s/User
- Accuracy rate ≥ 99%
- · Supports mask recognition





#### Wi-Fi Doorbell DS-HD2

Security Starts at the Front Door

Hikvision's Wi-Fi Doorbell brings the most convenient and robust security home. This Internet-connected security device is more than just a doorbell—it provides 24/7 protection for all residents including children and pets. Users can communicate with visitors, check for deliveries, and establish safety around their home with Hikvision's Doorbell solution. With its subtle, contemporary design and customizable appearance, the Hikvision Wi-Fi Doorbell combines a versatile aesthetic while providing continuous monitoring.

#### **Specifications**

- Expansive 170° vertical and horizontal Field of View (FOV)
- Bright, crisp images, even at night utilizing IR-cut filter with auto-switching
- Shows you everything at your doorstep—people head to toe or packages on the ground
- Two-way Talk with a built-in high-sensitivity microphone and high-power speaker
- Night Vision Up To 5 m/16 ft
- Al Powered Human Detection
- -30°C to 60°C (-22°F to 140°F) Working Temperature



## Video Intercom Indoor Station DS-KH9510-WTE1

Converge and Control Security with a Simple Touch

Hikvision's Video Intercom Indoor Station features a 10.1-inch colour touchscreen with a friendly user interface. Users can handle intercom calls and unlock doors in one-click, and the built-in HikConnect app allows for remote management.


#### **Specifications**

- 10.1-inch colourful touch screen with resolution  $1024 \times 600$
- Supports Android app installation
- Open platform for the third-party software integration
- Video intercom and live view on mobile phone all-day
- Built-in Hik-Connect for all-in-one management
- Wireless intrusion panel for on-site management
- Receives 7 seconds of video verification from alarm systems



#### **Access Control and Video Intercom Solutions**

Protecting your business, your home, and your property with intelligent mobile video and audio surveillance



#### **Support**

Hikvision Canada: +1-866-200-6690 e-mail: techsupport.ca@hikvision.com

Hikvision Canada Inc. (Toronto) 2355 Skymark Ave., Suite 300 Mississauga, ON L4W 4Y6

Toll Free: +1 866-200-6690

e-mail: sales.canada@hikvision.com

Connect with us: **y** (a) in **D** (b) | www.hikvision.ca

©2022 Hikvision Canada Inc. All rights reserved. Hikvision is a registered trademark of Hikvision Digital Technology Co., Ltd. in Canada and other countries. All other trademarks, service marks, and product or service names are trademarks or registered trademarks of their respective owners. Product specifications and availability are subject to change without notice.

22\_054