



Enhanced Command and Control with HikCentral ReGuard

HikCentral ReGuard is a robust, integrated solution aimed at increasing the response efficiency of the physical system by optimizing alarm processing.

Designed for Managed Video Monitoring Centres, as well as traditional Alarm Receiving Centres, HikCentral ReGuard works in collaboration with dedicated security personnel to provide expanded coverage through intelligent monitoring. The application bolsters security professionals by allowing them to provide situational focus while continually monitoring for additional incoming alarms to ensure continuous coverage.




HikCentral ReGuard–Optimizes alarm processing to increase response efficiency.



Managed Visual Alarms

The HikCentral ReGuard video alarm receiving and handling solution receives video alarms that are triggered by cameras located in remote sites.

The video alarms will show up on the control panel for the agents to handle and process. The agents proceed to verify the alarms and follow pre-set standard operation procedures that are built into the HikCentral ReGuard system.



HikCentral ReGuard provides specific alarm details for better decision making.

Virtual Guard Tour

HikCentral ReGuard video alarm monitoring agents will be prompted to go on virtual guard tours on a pre-set schedule and follow the preconfigured standard operating procedure on the control panel.

The videos are fed to the HikCentral ReGuard Video Alarm Monitoring Centre server from the remote site server. Hik-Central ReGuard agents will need to follow the steps from the virtual guard tour and take action if necessary.



HIKVISION[®]

1. HikCentral ReGuard Server

HikCentral ReGuard server is designed to federate multiple servers. It supports up to 100,000 channels.

It offers a central management of alarm sources, sites, users and roles, alarm distribution rules as well as the SOPs (Standard Operating Procedure), phone system integrations, etc. It also offers an on-line teamwork platform to simplify the alarm handling process and speed up the acknowledgment of alarms.

2. Video Wall Powered by Decoders

The video wall system is designed to live stream videos from the field protection systems for 24/7 remote monitoring.


3. Video Alarm Monitoring Agents

The HikCentral ReGuard Control Panel is where agents will spend most of their time. By monitoring this, agents will be able to quickly identify a false alarm.

HikCentral ReGuard also offers a phone system feature to reach site contacts and create/upload incident evidence as soon as possible.

4. Remote Site Protection System

A Field Protection System usually consists of several cameras managed by a Network Video Recorder (NVR); it is a standalone system, monitored by the remote HikCentral ReGuard.





Compatibility

Providing video alarm monitoring 24/7, HikCentral ReGuard is comparable with Hikvision VMS systems and products.

As the Video Management System (VMS), Hik-Central manages the videos and devices, while HikCentral ReGuard acts as the video alarm monitoring centre and handles the alarms.

One-stop Shop

Hikvision provides a one-stop shop in terms of software and hardware for your HikCentral ReGuard Video Alarm Monitoring Solution.

Video Management System (VMS) and HikCentral work together seamlessly to:

- Reduce workforce
- Increase responses
- Provide 24/7 monitoring



Support

Hikvision Canada: +1-866-200-6690 e-mail: techsupport.ca@hikvision.com

Hikvision Canada Inc. (Toronto) 2355 Skymark Ave., Suite 300 Mississauga, ON L4W 4Y6

Toll Free: +1 866-200-6690 e-mail: sales.canada@hikvision.com



©2022 Hikvision Canada Inc. All rights reserved. Hikvision is a registered trademark of Hikvision Digital Technology Co., Ltd. in Canada and other countries. All other trademarks, service marks, and product or service names are trademarks or registered trademarks of their respective owners. Product specifications and availability are subject to change without notice.

22_058

