

Video Conferencing Solution

Smarter collaboration beyond distance



HIKVISION®

VIDEO CONFERENCING SOLUTION
Smarter collaboration beyond distance



Follow us on social media to get the latest product and solution information

- Hikvision
- HikvisionHQ
- hikvisionoverseas
- HikvisionOverseas
- HikvisionHQ
- Hikvision Corporate Channel
- Hikvision Commercial Display

Hikvision's video conferencing solution

Hikvision's video conferencing solution transforms communication with powerful cloud technology. It delivers seamless multi-party video collaboration over public internet, adapting effortlessly to business, e-commerce, and remote learning scenarios. Compatible with interactive displays, PCs, and more, it ensures smooth integration and a superior audiovisual experience. Elevate your interactions with Hikvision – where innovation meets connectivity.

PTZ Camera Series



All-in-One Series



WebCam Series



Enhance Your Meetings with Cloud-Based Solution

Low Deployment Costs

No need for costly hardware upgrades or complex network changes.

Low Maintenance Costs

No dedicated IT staff is required. The system can be easily deployed and accessed on meeting rooms, desktops, and mobile devices.

High Usability

Simple operation available anytime, anywhere, ensuring seamless access and effortless collaboration.

USB Plug-and-play

No drivers required, compatible with mainstream cloud conferencing platforms, including Zoom, Teams, and Google Meet.



USB Web Camera

 Personal Working Space (1 Participant)

- 2MP CMOS sensor with 90° dFoV, support auto focus
- AGC for automatic brightness adjustment
- Dual mics for clear sound pickup
- USB 2.0 interface: plug-and-play, no driver installation required
- Exclusive HikIn software: flexible image parameter adjustments



90° Distortion-Free Lens





Clear Sound Pickup



USB 2.0 Interface Plug & Play


DS-U02P





All-in-One AV Pillar


 Small and Medium-Sized Room (3~8 Participants)


Effortless remote meetings with one device: reserve rooms with flexible check-in times, multiple check-in methods, streamlined approval workflows, and customizable approval statuses.


- 

120° Distortion-Free Lens
- 

Intelligent Noise Reduction
- 

USB Interface Plug & Play
- 

Privacy Shutter
- 

Remote Control
- 

Wide Compatibility

Compact and Portable Design
Perfect for meetings and business trips

Super Wide Coverage 120° dFoV
Ensuring all participants are included

120 dB True WDR

Bluetooth Remote Control
Easy operation via simple clicks



Wireless Presenter
Quickly flip between slides



Magnetic Design





Mute PTZ



Quad Mics



Human Body Tracking



Bluetooth Remote Control



DS-UVC-P28 4K

DS-UVC-P22 2MP

PTZ Camera

Medium and Large-Sized Room (6~16 Participants)

- 23.1–277.2 mm varifocal lens with an 88.9°–8.7° dFOV
- Low-distortion lens, 12x optical zoom, 4x digital zoom, and auto focus
- Clear imaging even in strongly backlit environments with 120 dB true WDR technology
- Intelligent features, including human body tracking and face focus
- USB Type-C interface with cable fixing lock, supporting USB 2.0 and plug-and-play operation (no driver installation)

Super Wide Coverage

Suitable for various types of conference rooms



Human Body Tracking

Automatic targeting of the participant in real time



Built-in Mic

Sound pickup within 5 m



A Complete Set of Accessories

One kit meets all your needs

- 1. Bracket**
Desk mount
Wall mount
- 2. Camera**

- 3. Remote Control**
Preset points
PTZ control
Zoom

- 4. Cable**
4.5 m
- 5. Adapter**
International adapters



1



2



3



4



5

UK

US

EU

PTZ Camera

Medium and Large-Sized Room (Education Scenarios)

- 23.8–476 mm varifocal lens with auto focus, 20x optical zoom, 16x digital zoom
- Intelligent features, including human body tracking and speaker tracking
- Clear imaging even in strongly backlit environments with 120 dB true WDR technology
- AGC for automatic brightness adjustment
- USB Type-C interface with cable fixing lock, supporting USB 2.0 and plug-and-play operation (no driver installation)
- Embedded interfaces, including RJ45 for PoE



Mute PTZ




Dual Mics



Human Body Tracking



Bluetooth Remote Control



1. Speaker Tracking

Precisely capture every speaker, highlighting dynamic classroom interactions

2. Human Body Tracking

Seamlessly follow the teacher, keeping the focus on the core of the lesson

3. Ultra Clear Video

Featuring up to 4K resolution and a 20x optical zoom lens for unparalleled clarity and detail

4. Multiple Interfaces

Embedded multiple interfaces such as RJ45, RS232, HDMI, and USB

All-in-One Bar

Medium and Large-Sized Room (6~16 Participants)



118.8° Distortion-Free Lens



Intelligent Noise Reduction



Dongle Projection




Privacy Shutter



Remote Control



USB Interface Plug & Play



Desk-Mounted



Wall-Mounted

1. Auto Framing

Keeps all participants centered, even when someone leaves or joins



2. Close-up Views

Supports split-screen close-ups for up to 6 participants

3. Speaker Tracking

Automatically tracks the speaker, keeping them in the center



4. Multiple Projection Methods

Support Type-C, software-based, and device-based projection



All-in-One Pillar

DS-UVC-X12

- 2MP HD imaging, 120dB true WDR
- Built-in 4-mic array, 5-meter sound pickup range
- Full-range HD speaker
- Bluetooth Remote, support multiple functions



All-in-One Video Bar

iDS-UVC-X28-B

- 4K UHD imaging, 120dB true WDR
- Built-in 8-mic array, 6-meter sound pickup range
- Full-range HD speaker
- Support AI functions include auto framing and speaker tracking

Video Conferencing PTZ Camera

DS-UVC-P22

DS-UVC-P28

- 12x optical zoom, 4x digital zoom, auto focus
- Support AI functions, include human tracking
- Built-in 2-mic array
- USB 2.0, plug-and-play



Smart Auto Tracking PTZ Camera

iDS-UVC-P32

iDS-UVC-P38

- 20x optical zoom, 16x digital zoom, auto focus
- Support AI functions, include human tracking
- Built-in 4-mic array
- Multi-interface, support PoE



USB Webcam

DS-U02

DS-U02P

- 2MP CMOS, auto focus model available
- Built-in mic
- USB 2.0, plug-and-play



USB Webcam

DS-U04

DS-U04P

- 4MP CMOS, auto focus model available
- Built-in mic
- USB 2.0, plug-and-play