



# We've made it easy, from every direction.

0000



Looking for an affordable, widely-compatible security solution that is easy to use today and tomorrow?

Hikvision's IP Solution and Products open up new possibilities that go far beyond the technology of analog devices. Hard to believe? Check it out!

### Easy Installation

Frustrated by messy, tangled cables? Hikvision's IP solution saves you from unnecessary headaches. Featuring Power-over-Ethernet (PoE) and preinstalled network cables, you will save time and money on cable installation, expanding your surveillance system more easily and more efficiently while keeping your work areas clean and hassle-free.





### Easy **Connection**

### PoE Connection

The PoE Connection function helps connect cameras to the PoE NVR without difficult IP configuration. Moreover, electricity and data run on one cable!



The PoE interfaces enable power input via Ethernet cables.

#### Quick Wi-Fi Connection

The Quick Wi-Fi Connection function ensures swift and easy connecting and configuring of front- and back-end Wi-Fi products.



#### Auto Connection

The Auto Connection function makes Non-PoE NVR management easier than ever. In just 3 simple steps, you will see clear, vivid images in minutes.



## Easy **Operation**

### High-Quality Imaging

Nowadays, high-resolution IP cameras are being used across a wide range of applications.

Hikvision's IP Solution provides smooth playback of HD video at full framerates. Targets may move, but our cameras never miss a single detail – and our sharp, clear video is proof.



Facing extreme electromagnetic interference, analog signals tend to deteriorate. But since Hikvision's IP Solution is not susceptible to this problem, you get much more stable images.



Analog solution, terrible images



IP solution, stable images

### Mobile App

Going away? Have several stores to patrol?

Scan the QR code on the camera with the Hik-Connect app and immediately get live feed, playback, and alarm notifications on your mobile device.



### Fail-Safe Design

Networks may fail. But with Hikvision's IP solution, your video will not get lost.

Automatic Network Replenishment (ANR) ensures that video footage gets saved on an SD card in case of network failure. The footage will be auto-sent back onto the NVR once the network recovers.



### Easy Integration

Hikvision's IP solution is future-proof and easier to integrate with state-of-the-art features powered by leading-edge technologies such as AI.



Hikvision's IP solutions converge and analyze data – not just from cameras but also from other types of sensors and equipment. With our solutions, you will enjoy a comprehensive situational awareness of your premises and goods.



### Easy **Maintenance**

Hikvision's IP Solution allows remote status check, upgrades, and maintenance over the Internet so that you can have your work done even when you are not on-site.

Mode Read the Mode   Mode Read of the semandare and two information to the default settings.   Mode Read of the semandare and two information to the default settings.   Mode Read of the semandare and two informations.	Officer     Reside of the sparmedice, single the W gaves data and uses information. Is the addual and tasks       Reside of the sparmedice is the proceeding and uses information. Is the addual and tasks       Reside of the sparmedice is the proceeding and uses information. Is the addual and tasks       Reside of the sparmedice is the proceeding and uses information. Is the addual and tasks       Reside of the sparmedice is the sparmedice and the doors information.       Despine information	Rabout				
Native     Proof of the promotion, tend if the "proceeding of the output of the during the durin	Review Provide of the secondary, terred for the preventions and users information, but the defendence of the secondary and users information to the defendence of the secondary and users information. The secondary of the secondary and the device information to the defendence of the secondary and the device information. The secondary of the secondary and the device information. The secondary of the secondary and the device information. The secondary of the secondary and the device information. The secondary of the secondary and the device information. The secondary of the secondary of the device information. The secondary of the secondary of the device information. The secondary of the secondary of the device information. The secondary of the secondary of the secondary of the device information. The secondary of the secondary of the secondary of the device information. The secondary of the secondary of the secondary of the device information.	Reboer	Fathor the device			
Const Internet of partners of the set of and partners of the set of the se	Const Internet of partners of the set of and partners of the set of the se	Debut				
memorane (type) Remote maintenanc memorane memora	memorane (type) Remote maintenanc memorane memora	Rackine		information, to the	Auford settings	
Descriptions Development by other threader and the down thereader man and the down t	Descriptions Development by other threader and the down thereader man and the down t	Detault	Rectore all partnerwises to default settings.			
Dependentiales, Contractives and interactive filterative filterati	Dependentiales, Contractives and interactive filterative filterati	information Export				
Descriptions Domestical and readown instances and readown instances in the second method of the second method method method of the second method meth	Descriptions Domestical and readown instances and readown instances in the second method of the second method method method of the second method meth	Device Preameters				maintena
Deci Fandes New Xapak	Deci Fandes New Xapak	Clegross Interna	Downless the log system information and handwore informati	NPS.		indiritoria
Bets Toppel	Bets Toppel	Import Config. File				
Rg sh	Rg sh	Device Parameters		frowse	hopes	
		Datus				
Persuan - team Logics	Pimuer V Itale Lopico	Upgrade				
		[Firmulate ]	0	(cases)	Lippiane	



#### See Far, Go Further

www.hikvision.com T +86-571-8807-5998 overseasbusiness@hikvision.com

















Hikvision

HikvisionHQ

HikvisionHQ Hikvision\_Global

Hikvision Corporate Channel

hikvisionhq