+][-][**ON A** FIXED LENS BUDGET




HiLook ENTRY-LEVEL 2 MP VARIFOCAL CAMERAS



CHALLENGES WITH FIXED LENS CAMERAS

With fixed lens cameras, only a relatively small area – close to the focal point and within a narrow depth of field – can be viewed in clear, sharp detail.

Fixed lens video surveillance cameras suffer from various constraints and limitations, including:





Inability to zoom

Users cannot zoom in to see more detail on close-range targets.



High labor costs for system design

System designers need to measure the size of the monitored area and complete tedious calculations to choose camera models with proper focal lengths.



Overstock of cameras

Distributors and installers have to keep huge inventory of fixed lens cameras with different focal lengths on hand to meet various installation requirements.

ADVANTAGES OF VARIFOCAL CAMERAS



Budget-friendly on site survey

Varifocal cameras adapt to more complex site conditions than fixed lens cameras. This means installers will require less time to measure a site to find optimal camera positions.



Motorized zooming

The varifocal lenses are motorized through remote configuration on an NVR or via client software, so users can zoom in to see close targets more clearly.



Installation flexibility

Cameras with varifocal lenses are much easier to install. Focal lengths are adjustable for a wider range of monitoring areas. With this adaptability comes more flexibility, too, as many more camera installation locations become possible.



Easier inventory management

Fewer varifocal camera models are required to effectively monitor a given area than fixed lens cameras. Distributers and installers can save money by keeping fewer models of cameras in stock when they use varifocal models.

ZOOM POWER ON A FIXED LENS BUDGET





• PRODUCT SHOWCASE



IPC-B621H-V

Manual zooming, full metal

IPC-B621H-Z

Motorized zooming, full metal

PoE

DWDR

IP66



IPC-D720H-V

Manual zooming, full metal

IPC-D720H-Z

Motorized zooming, full metal

PoE

DWDR

IP66, IK10

FEATURES



Built-in microphone



Lower bit rate

H.265/H.265+ encoding



Good night vision EXIR



Motorized varifocal lens (-Z)

2.8-8 mm

FEATURES



Built-in microphone



Lower bit rate

H.265/H.265+ encoding



Good night vision EXIR



Motorized varifocal lens (-Z)

2.8-8 mm





ZOOM POWER ON A FIXED LENS BUDGET

Distributed by

liLook

Headquarters

No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 overseasbusiness@hikvision.com

Hikvision USA

T +1-909-895-0400 sales.usa@hikvision.com

Hikvision Australia

T+61-2-8599-4233 salesau@hikvision.com

Hikvision India T +91-22-28469900

sales@pramahikvision.com

Hikvision Canada T +1-866-200-6690 sales.canada@hikvision.com

Hikvision Thailand

T+662-275-9949 sales.thailand@hikvision.com

Hikvision Europe T +31-23-5542770 sales.eu@hikvision.com

Hikvision Italy T +39-0438-6902

info.it@hikvision.com

Hikvision Brazil

T +55 11 3318-0050 Latam.support@hikvision.com

Hikvision Turkey T +90 (216)521 7070- 7074 sales.tr@hikvision.com

Hikvision Malaysia T +6-032-7224000 sales.my@hikvision.com

Hikvision UK & Ireland

T+01628-902140 sales.uk@hikvision.com

Hikvision South Africa

Tel: +27 (10) 0351172 sale.africa@hikvision.com

Hikvision France T +33(0)1-85-330-450 info.fr@hikvision.com

Hikvision Kazakhstan nikia.panfilov@hikvision.ru

Hikvision Vietnam

T +84-974270888 sales.vt@hikvision.com

Hikvision UAF

T+971-4-4432090 salesme@hikvision.com

Hikvision Singapore T +65-6684-4718

sg@hikvision.com

Hikvision Spain

T +34-91-737-16-55 info.es@hikvision.com

Hikvision Tashkent

T +99-87-1238-9438 uzb@hikvision.ru

Hikvision Hong Kong

T +852-2151-1761 info.hk@hikvision.com

Hikvision Russia T +7-495-669-67-99 saleru@hikvision.com

Hikvision Korea T +82-(0)31-731-8817 sales.korea@hikvision.com

Hikvision Poland T +48-22-460-01-50

info.pl@hikvision.com

Hikvision Indonesia

Sales.Indonesia@hikvision.com

Hikvision Colombia

sales.colombia@hikvision.com

www.hikvision.com

Follow us on social media to get the latest product and solution information





ikvisionHQ



HikvisionHQ



Hikvision_Global



