

RETHINK SECURITY

A surveillance system with active response and real-time alarm

TURBO HD



Built-in Siren and Flashing Light



Active Prevention

Integrated Response

Real-time Alerts

HIKVISION[®]

“ Don't just watch footage of events after they happen
– **PREVENT THEM** ”

PASSIVE



ACTIVE

POST-EVENT



REAL-TIME

ISOLATED



INTEGRATED

Multi-device Notifications

Inform all stakeholders promptly

Camera


Flashes red and blue light as well as triggers siren to warn off intruders.

DVR

Pushes pop-up alert for security to respond in time.

Hik-Connect App

Receives alarm notification on phone. You'll be able to check live video as well as take other necessary actions.



Dual Detection

Two is more accurate than one

Camera

Embedded PIR sensor accurately identify intruder.

DVR

Deep learning algorithm helps classify human and vehicle targets.

A Unified System

It's better when everything works together

It's a complete and unified alarm system including front- and back-end devices, as well as a mobile app to check on everything.

22:24

at night, someone tries to break into the largest supermarket in town.



At the entrance



The siren sounds and the red and blue lights flash. The thief quickly runs off.



In the monitoring room

An alarm notification pops up. The on-duty officer immediately notices and sends staff to check.



On the mobile app

The store manager gets a message on his phone and calls the security team to make sure everything is handled properly

Applications



Warehouses



Residences



Jewelry Stores

Camera



*ColorVu PIR siren
bullet camera*
DS-2CE12DFT-PIRX0F

- 2 MP, 2.8/3.6/6 mm
- 24/7 colorful imaging
- PIR detection
- Built-in siren, flashing light & sound alarm
- Alarm output
- 0.0005 lux
- Smart light, up to 40 m white light distance
- IP67, 4 in 1
- Metal front cover, plastic main body



*ColorVu PIR siren
turret camera*
DS-2CE72DFT-PIRX0F

- 2 MP, 2.8/3.6/6 mm
- 24/7 colorful imaging
- PIR detection
- Built-in siren, flashing light & sound alarm
- Alarm output
- 0.0005 lux
- Smart light, up to 40 m white light distance
- IP67, 4 in 1
- Metal main body, plastic enclosure



PIR siren bullet camera
DS-2CE12D0T-PIRXF

- 2 MP, 2.8/3.6/6 mm
- PIR detection
- Built-in siren, flashing light & sound alarm
- 0.01 lux
- Smart IR, up to 40 m IR distance
- IP67, 4 in 1
- Metal front cover, plastic main body



PIR siren turret camera
DS-2CE72D0T-PIRXF

- 2 MP, 2.8/3.6/6 mm
- PIR detection
- Built-in siren, flashing light & sound alarm
- 0.01 lux
- Smart IR, up to 20 m IR distance
- IP67, 4 in 1
- Metal main body, plastic enclosure



Hik-Connect



Headquarters
No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com



AcuSense DVR



HDTVI / AHD / CVI / CVBS / IP Video Inputs H.265Pro+ / H.265Pro / H.265

4-Channel AcuSense DVR iDS-7204HUHI-M1(2)/S

- Deep learning-based facial detection or behavior analysis
- 1-ch human face capture or 4-ch false alarm reduction
- 5 MP @ 12 fps (CH1: supports 8 MP @ 8fps)
- Maximum 8 IP Camera Inputs (up to 8 MP)

8-Channel AcuSense DVR iDS-7208HUHI-M1(2)/S

- Deep learning-based facial detection or behavior analysis
- 1-ch human face capture or 4-ch false alarm reduction
- 8 MP @ 8fps / 5 MP @ 12 fps
- Maximum 16 IP Camera Inputs (up to 8 MP)

4-Channel AcuSense DVR iDS-7204HQHI-M1/S

- Deep learning-based facial detection or behavior analysis
- 1-ch human face capture or 2-ch false alarm reduction
- 4 MP Lite @ 15 fps / 1080p @ 15fps
- Maximum 6 IP Camera Inputs (up to 6 MP)

8-Channel AcuSense DVR iDS-7208HQHI-M1(2)/S

- Deep learning-based facial detection or behavior analysis
- 1-ch human face capture or 4-ch false alarm reduction
- 4 MP Lite @ 15 fps / 1080p @ 15fps
- Maximum 12 IP Camera Inputs (up to 6 MP)

16-Channel AcuSense DVR iDS-7216HQHI-M1(2)/S

- Deep learning-based facial detection or behavior analysis
- 1-ch human face capture or 4-ch false alarm reduction
- 4 MP Lite @ 15 fps / 1080p @ 15fps
- Maximum 24 IP Camera Inputs (up to 6 MP)

4-Channel AcuSense DVR iDS-7204HUHI-M1(2)/FA

- Deep learning-based behavior analysis or face picture comparison
- 1-ch human face capture and facial comparison alarm or 4-ch false alarm reduction
- Face picture library up to 80 MB capacity, up to 16 face picture libraries
- 5 MP @ 12 fps (CH1: supports 8 MP @ 8 fps)
- Maximum 8 IP camera inputs (up to 8 MP)

8-Channel AcuSense DVR iDS-7208HUHI-M1(2)/FA

- Deep learning-based behavior analysis or face picture comparison
- 1-ch human face capture and facial comparison alarm or 4-ch false alarm reduction
- Face picture library up to 80 MB capacity, up to 16 face picture libraries
- 8 MP @ 8 fps / 5 MP @ 12 fps
- Maximum 16 IP camera inputs (up to 8 MP)

4-Channel AcuSense DVR iDS-7204HQHI-M1/FA

- Deep learning-based behavior analysis or face picture comparison
- 1-ch human face capture and facial comparison alarm or 2-ch false alarm reduction
- Face picture library up to 80 MB capacity, up to 16 face picture libraries
- 4 MP Lite @ 15 fps / 1080p @ 15fps
- Maximum 6 IP camera inputs (up to 6 MP)

8-Channel AcuSense DVR iDS-7208HQHI-M1/FA

- Deep learning-based behavior analysis or face picture comparison
- 1-ch human face capture and facial comparison alarm or 4-ch false alarm reduction
- Face picture library up to 80 MB capacity, up to 16 face picture libraries
- 4 MP Lite @ 15 fps / 1080p @ 15fps
- Maximum 12 IP camera inputs (up to 6 MP)

16-Channel AcuSense DVR iDS-7216HQHI-M1/FA

- Deep learning-based behavior analysis or face picture comparison
- 1-ch human face capture and facial comparison alarm or 4-ch false alarm reduction
- Face picture library up to 80 MB capacity, up to 16 face picture libraries
- 4 MP Lite @ 15 fps / 1080p @ 15fps
- Maximum 24 IP camera inputs (up to 6 MP)