

Network Camera Firmware

Version: V5.4.83

Release Note (**External**)

(2018-12-18)

Firmware Basic Information	Firmware Version:	V5.4.83_180817
	SDK Version:	V5.2.7.45 build170612
	SADP Version	V3.0.0.11 build170710
	Playctrl.dll	V7.3.5.0
	SystemTransform.dll	V2.5.2.15
	AudioIntercom.dll	V1.4.0.6
	iVMS-4200	V2.5.13.2_170709

4/6 Series Camera Firmware V5.4.83 build180817 Features

1. Optimization

- Remove TLS1.0.
- Internet Explorer 6/7 are no longer supported.
- Fix the issue that the search result of people counting data is 0 after long time

running. The maximum supported storage data is modified from 100W to 50W.

Meanwhile add the index data table to speed up indexing.

Customer Impact and Recommended Action

This update refers to function/compatibility improvement and will take effect automatically after the Date of Change. We are very sorry for any inconvenience of use-habit changes caused by this action.

For any questions and request for this firmware, please contact our local technical support team.

Remarks:

- Hikvision reserves the right to change, alter or withdraw the above notification without prior notice.
- Product design and specifications are subject to change without prior notice.
- The Hikvision firmware may contain defects or errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request.
- Hikvision is not liable for any typing or printing errors.

Hikvision Digital Technology CO., Ltd.
No. 555 Qianmo Road, Binjiang District, Hangzhou 310051,
China
Tel: +86-571-8807-5998
FAX: +86-571-8993-5635

Supported Product List (4XXX, 6XXX)

Product Category	Model Number	Product Description
Box Camera	DS-2CD4024FWD-A(P)(FC)	2MP, 120dB WDR, P-iris optional
Box Camera	DS-2CD4026FWD-A(P)(SDI(B))	2MP, 120dB WDR, P-iris optional
Indoor Dome Camera	DS-2CD4124FWD-I(Z)	2MP, 120dB WDR, IR
Indoor Dome Camera	DS-2CD4126FWD-I(Z)	2MP, Darkfighter, IR
Bullet Camera	DS-2CD4224FWD-I(Z)(S)	2MP, 120dB WDR, IR
Dome Camera	DS-2CD4324FWD-I(Z)(H)(S)	2MP, 120dB WDR, IR
Outdoor Dome Camera	DS-2CD4524FWD-I(Z)(H)(M)	2MP, 120dB WDR, HDMI optional
Outdoor Dome Camera	DS-2CD4526FWD-I(Z)(H)	2MP, 120dB WDR, Heater optional
Bullet Camera	DS-2CD4612FWD-I(Z)(H)(S)	1.3MP, 120dB WDR, Heater optional
Bullet Camera	DS-2CD4624FWD-I(Z)(H)(S)	2MP, 120dB WDR, Heater optional
Bullet Camera	DS-2CD4626FWD-I(Z)(H)(S)	2MP, 120dB WDR, Darkfighter
Bullet Camera	DS-2CD4A24FWD-I(Z)(H)(S)(FC)	2MP, 120dB WDR, IR
Bullet Camera	DS-2CD4A26FWD-I(Z)(H)(S)(FC)	2MP, 120dB WDR, Darkfighter
Box camera with housing	DS-2CD4026FWD/E-(H)(IR5)(IRA)(L)	2MP, IR or White light optional
Box Camera	iDS-2CD6024FWD-A/(B)	2MP, ABF, Behavior Analysis
Box Camera	iDS-2CD6024FWD-A/(F)	2MP, ABF, Face Capture
Box Camera	DS-2CD6026FHWD-A	2MP, ABF, 60fps
Box Camera	iDS-2CD6026FWD-A/F	2MP, ABF, Face Capture
Box Camera	DS-2CD6026FHWD-(A)(L)	2MP, ABF, 60fps
Dome Camera	iDS-2CD6124FWD-I(Z)/B	2MP, IR, 120dB WDR
Dome Camera	iDS-2CD6124FWD-I(Z)/F	2MP, IR, 120dB WDR
Dome Camera	iDS-2CD6124FWD-I(Z)/C(B)	2MP, 120dB WDR, People counting
Dome Camera	iDS-2CD6124FWD-I(Z)/H	2MP, 120dB WDR, Heat map

Dome Camera	DS-2CD6126FWD-IZH	2MP, IR, 120dB WDR
Bullet Camera	DS-2CD6226FWD-IZHS	2MP, IR, 120dB WDR
Bullet Camera	iDS-2CD6226FWD-IZHS/B	2MP, IR, 120dB WDR
Separated Camera	iDS-2CD6412FWD/F	2MP, 120dB WDR, Face Capture
Separated Camera	iDS-2CD6412FWD/C	2MP, 120dB WDR, People counting
Separated Camera	iDS-2CD6412FWD/B	2MP, 120dB WDR, Behavior analysis
Separated Camera	iDS-2CD6412FWD/C(2.1mm)(2.8mm)	2MP, 120dB WDR, People counting
Anti-corrosion Camera	DS-2CD6626B/E-HIRA(11-40mm)	2MP, Anti-corrosion, IR
Anti-corrosion Camera	DS-2CD6626B/E-HIR5(3.8-16mm)	2MP, Anti-corrosion, IR
Anti-corrosion Camera	DS-2CD6626BS-(H)R	2MP, Anti-corrosion, Wiper
Anti-corrosion Camera	DS-2CD6626DS-IZ(H)(2.8-12mm)	2MP, Anti-corrosion, IR