

Title:	How to Add Wireless Control Panel to iVMS-4200	Version:	v1.0	Date:	10/11/2018
Product:	AX Series Wireless Security Control Panel			Page:	1 of 3

Preparation

- 1. AX Series Wireless Security Control Panel, V1.0.0 or above
- 2. iVMS-4200 (2.7.3.8)

How to Add Wireless Control Panel to iVMS-4200

You can login the iVMS-4200 Client Software to configure the device's parameters. You can also configure the security control panel's network parameters, alarm, permission, system, log search via the web client.

1. Activate the device

1) You should activate the device the first time you access it to the network for safety reasons.

File System View Tool Help	💩 iVMS-4200 admin 🤁 📼 🛗 17:17:12 🔹 🗕 = 🖛 🛪
📰 Control Panel 🗧 Devi	e Management
📼 Device 🖬 Group	
Device Type	Device for Management (0) • Refresh All
Bikvision Device	+ Add ☐ Modify
 Upgrade Server Add New Device Type 	Device T Nickname Connect Naturale Para Device Secial No. Secu
21	User Name: admin
	Password:
	Valid password range (8-16). You can use a combination of numbers, lowercase, uppercase and special character for your password with at least two kinds of them contained Confirm Password:
	· OK Cancel ,
	Online Device (24) ORfresh Every 60s
	+ Add to Client + Add All 🖄 Modify Netinfo 🥎 Reset Password 🌻 Activate 98.34 💌
	IP Device Type Firmware Version Security Server P Device Serial
Hikvision Device: Encoding Device/Door Station/Decoder/ Storage Server/Indoor Station/ Master Station/Security Control Panel/Access Controller	10.9.98.34 DS-PWA32-HSR V1.0.0build 180913 Inactive 8000 DS-PWA32-HS ;

2) Click OK.

2. 2) Add device to iVMS-4200

- Download and install the software. Register to the software and add device in Control Panel → Device Management → Device for Management
- 2) Add device to iVMS-4200.



Title:	How to Add Wireless Control Panel to iVMS-4200	Version:	v1.0	Date:	10/11/2018
Product:	AX Series Wireless Security Control Panel			Page:	2 of 3

vice Type	Device for Management (0)	anagement (0) Add x					📀 Refresh All
Hikvision Device Add Modify * Add Adding Mode:					Filter		
 Upgrade Server Add New Device Type 	Device Type Nickname	IP/Domain IP Server	 IP Segment HiDDNS 	Hik-Connect D EHome Batch Import	 Serial Port 	Net Status Firmware	Upgrade Refresh
		Add Offline Devi	Nickname: Address: Port:	10.9.98.34 10.9.98.34 80	3		
			Port. User Name: Password:	admin		Port:80	
			Set the device nan connected to the d				
	Online Device (24)			Ad	d Cancel		fresh Every 60s
	+ Add to Client + Add	All 🔀 Modify Neti	nfo 🥎 Reset Pa	assword 🔍 Activate		98.34	ilesh Every ous
	10.9.98.34 DS-PWA32	Firmware		unity Server Port Device Serial		Added Suppor	rt Hi Hik-Connect Sta N/A
vision Device: Encoding Device/Door lion/Decoder/Storage Server/Indoor lion/Master Station/Security Control						1	

🗔 Note

You should set the device port No. as 80. The user name and password when adding device are the activation user name and password.

3) After the device is completely added, click **Remote Configuration** to enter the device configuration page. You can configure the device parameters in this page.

📰 Control Panel 🛛 🚘 De	evice Management			西	星期五	星期六
■ Device ■ Group					5 廿六	6 廿七
Device Type	Device for Manag	e		€ Refresh		
📾 Hikvision Device	+ Add 🛛 Mo	× Del * Remote Conf	🏽 🕅 🔍 🗮 🕅 🕅 🕅	. 1 Up Filter		
🚪 Upgrade Server	Device Nickna	me Conne Network P	Device Serial No.	Seci		
Add New Device Type	Security 10.9.98.3	34 TCP/IP 10.9.98.34:80	DS-PWA32-HSR20	180721AAWRQWea		
		Configuration				
		L User Management	User Management			
		User	+ Add 🖉 Ed	it 🛅 Delete		
		Keyfob	□ No.	User Name		User Type
		Card	1	admin		Administrator
	•	System	2	setter		Installer
	Online Device (2	Wireless Device				
	+ Add to Cl	Communication Parameters				
	IP Dev	Video & Audio				
Hikvision Device: Encoding	10.9.98.34 DS-F	1/2 Status				
Device/Door Station/ Decoder/Storage Server/	•					
Indoor Station/Master	•					

© Hangzhou Hikvision Digital Technology Co.,Ltd. All Rights Reserved. No.555 Qianmo Road, Binjiang District, Hangzhou 310052, China • Tel: +86-571-8807-5998 • Fax: +1 909-595-0788 E-Mail: <u>support@hikvision.com</u> • <u>www.hikvision.com</u>



Title:	How to Add Wireless Control Panel to iVMS-4200	Version:	v1.0	Date:	10/11/2018
Product:	AX Series Wireless Security Control Panel			Page:	3 of 3

First Choice for Security Professionals *HIKVISION* Technical Support