


DS-D5A65RB/A3(UHK)
65-inch 4K Display



- Hikvision 65-inch 4K display
- All-in-one design that supports a built-in OPS module, delivering the Windows operating system in an integrated
- Features 500 nits of ultra-high brightness and 72% NTSC color gamut to ensure superior display performance.
- With support for 24/7 operation, it is ideally suited for integration with CCTV systems.


▪ Specification

| Product Model | |
|--------------------------------|--|
| Product Model | DS-D5A65RB/A3(UHK) |
| Display | |
| Screen Size | 65 inch |
| Backlight | DLED |
| Resolution | 3840x2160(RGB) 60hz |
| Brightness | 500 cd/m ² |
| Color Depth | 10 bit (8 bit + FRC) |
| Display Color | 1.07B(8bit+FRC) |
| Response Time | 11 ms |
| Contrast Ratio | 1500:1(typ.) |
| Color Gamut | 72% NTSC (Typ.) |
| Viewing Angle | 178° (H)/178° (V) |
| Aspect Ratio | 16:9 |
| Working Duration | 7 × 24 H |
| Built-in System | |
| DDR | 64MB |
| Processor | MT9800UTFUDG |
| Loudspeaker | 2x10W/6Ω |
| Interface | |
| Interface | HDMI IN × 2 DP × 1 USB2.0 × 1 VGA × 1 IR-IN × 1 RS232IN × 1 RS232OUT × 1 Audio-IN × 1 AudioOUT × 1 |
| Power | |
| Power Supply | 100 to 240 VAC, 50/60 Hz |
| Standby Consumption | ≤ 0.5 W |
| Average Consumption | < 180 W |
| General | |
| Package Dimensions (W × H × D) | 1640mmx185mmx960mm |
| Product Dimensions | 1466.7mmx79.7mmx841mm |

▪ Available Model

DS-D5A65RB/A3(UHK)

▪ Dimension



▪ Accessory

▪ Optional

DS-D5AC12T5-16S2



See Far, Go Further



www.hikvision.com
support@hikvision.com

