

## DS-VD22D-C/HW40 General Purpose Server



- Innovate at scale with challenging and emerging workloads
- Increase efficiency and accelerate operations with autonomous collaboration
- Built-in proactive resilience through a complete portfolio of solutions



## Specification

Hardware Specifications	
CPU	Xeon Scalable processors 4309Y×2
Hard Disk	2TB 7.2K SATA×2(RAID_1) + 2TB 7.2K SATA×2(RAID_1)
	Form factor: Rack (2U)
Device Dimensions	Chassis depth: 707.78 mm
	707.78 × 482 × 86.8 mm (27.85 × 19.0 × 3.4 inch)
	With package: $930 \times 667 \times 327$ mm ( $36.6 \times 26.3 \times 12.9$ inch)
Memory	128 GB DDR4 DIMM
Storage Controller	SAS_H355
Power Supply	800 W (1 + 1)
Bezel	security bezel
Embedded Management	iDRAC9
	iDRAC Service Module
	iDRAC Direct
	Quick Sync 2 wireless module
OpenManage™ Software	OpenManage Enterprise
	OpenManage Power Manager plugin
	OpenManage SupportAssist plugin
	OpenManage Update Manager plugin
Integrations and Connections	Integrations: BMC Truesight; Microsoft System Center; OpenManage Integrations; Red
	Hat Ansible Modules; VMware vCenter and vRealize Operations Manager
	Connections: IBM Tivoli Netcool/OMNIbus; IBM Tivoli Network Manager IP Edition;
	Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI
Security	Cryptographically signed firmware
	Secure Boot
	Secure Erase
	Silicon Root of Trust
	System Lockdown (requires iDRAC9 Enterprise or Datacenter)
	TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ
I/O & Ports	Front Ports:
	1 x iDRAC Direct (Micro-AB USB) port
	1 x USB 2.0
	1 x VGA
	1 x DVD
	Rear Ports:
	1 x USB 2.0
	1 x Serial (optional)
	1 x USB 3.0
	6 x 1Gb Ethernet
	1 x VGA
Supported Operating Systems	Not configured by default
Physical and Environmental Para	meters
Net Weight (without package)	28.8 kg (63.49 lb.)



Gross Weight (with package) 37.2 kg (82.01 lb.)

## Available Model

DS-VD22D-C/HW40



Headquarters No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 www.hikvision.com

Follow us on social media to get the latest product and solution information.





HikvisionHQ



HikvisionHQ



Hikvision\_Global





