

## DS-VD22D-C/HW6 General Purpose Server



- Innovate at scale with challenging and emerging workloads
- Increase efficiency and accelerate operations with autonomous collaboration
- Built-in proactive resilience through a complete portfolio of solutions



## Specification

CPU Xeon Scalable processors 4310×2 Hard Disk 480G SSD×2(RAID_1)  Device Dimensions Form factor: Rack (2U) Chassis depth: 707.78 mm 707.78 × 482 × 86.8 mm (27.85 × 19.0 × 3.4 inch) With package; 930 × 667 × 327 mm (36.6 × 26.3 × 12.9 inch)  Memory 32 GB DDR4 DIMM Storage Controller SAS_H355  Power Supply 800 W (1 + 1)  Bezel security bezel iDRAC9 iDRAC Service Module iDRAC Direct Quick Sync 2 wireless module OpenManage™ Software OpenManage Enterprise OpenManage SupportAssist plugin OpenManage Truesight, Microsoft System Center; OpenManage Integrations; Red Hat Ansible Modules; VMware vCenter and vRealize Operations Manager Integrations and Connections  Cryptographically signed firmware Secure Boot Secure Erase Silicon Root of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter) TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Front Ports: 1 x USB 2.0 1 x VGA 1 x USB 2.0 1 x USB 2.0 1 x USB 3.0 1 x USB 3.0	Hardware Specifications	
Device Dimensions	СРИ	Xeon Scalable processors 4310×2
Device Dimensions  Chassis depth: 707.78 mm 707.78 × 482 × 86.8 mm (27.85 × 19.0 × 3.4 inch) With package; 930 × 667 × 327 mm (36.6 × 26.3 × 12.9 inch)  Memory  32 GB DDR4 DIMM  Storage Controller  SAS_H355  Power Supply  800 W (1 + 1)  Bezel  security bezel iDRAC Service Module iDRAC Direct Quick Sync 2 wireless module  OpenManage™ Software  OpenManage Power Manager plugin OpenManage Power Manager plugin OpenManage Update Manager plugin OpenManage Update Manager plugin OpenManage Update Manager plugin OpenManage Update Manager plugin OpenManage SupportAssist plugin OpenManage Update Manager plugin OpenManage Openations Manager; OpenManage Integrations; Red Hat Ansible Modules; VMware vCenter and vRealize Operations Manager IP Edition; Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI Cryptographically signed firmware Secure Boot Of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter) TPM 1.2/2.0 FlPS, CC-TCG certified, TPM 2.0 China NationZ Front Ports: 1 x IDRAC Direct (Micro-AB USB) port 1 x USB 2.0 1 x VGA 1 x DVO 1 x Serial (optional)	Hard Disk	480G SSD×2(RAID_1)
Device Dimensions  707.78 × 482 × 86.8 mm (27.85 × 19.0 × 3.4 inch)  With package: 930 × 667 × 327 mm (36.6 × 26.3 × 12.9 inch)  Memory  32 GB DDR4 DIMM  Storage Controller  SAS_H355  Power Supply  800 W (1 + 1)  Bezel  iDRAC9 iDRAC9 iDRAC9 iDRAC Service Module iDRAC Direct Quick Sync 2 wireless module  OpenManage™ Software  OpenManage Power Manager plugin OpenManage Update Manager plugin OpenManage Update Manager plugin OpenManage Integrations: BMC Truesight; Microsoft System Center; OpenManager Integrations; Red Hat Ansible Modules; VMware vCenter and vRealize Operations Manager  Security  Secure Boot Secure Erase Silicon Root of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter) TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ Front Ports: 1 x iDRAC Direct (Micro-AB USB) port 1 x USB 2.0 1 x VGA 1 x DVD Rear Ports: 1 x USB 2.0 1 x Serial (optional)		Form factor: Rack (2U)
With package: 930 × 667 × 327 mm (36.6 × 26.3 × 12.9 inch)  Memory  32 GB DDR4 DIMM  Storage Controller  SAS_H3355  Power Supply  800 W (1 + 1)  Bezel  IDRAC9  IDRAC Service Module  IDRAC Direct  Quick Sync 2 wireless module  OpenManage™ Software  OpenManage Enterprise  OpenManage Enterprise  OpenManage Update Manager plugin  OpenManage Update Manager plugin  Integrations: BMC Truesight; Microsoft System Center; OpenManage Integrations; Red Hat Ansible Modules; VMware vCenter and vRealize Operations Manager  Connections: IBM Tivoli Netcool/OMNibus; IBM Tivoli Network Manager IP Edition; Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI  Cryptographically signed firmware  Secure Boot  Secure Erase  Silicon Root of Trust  System Lockdown (requires iDRAC9 Enterprise or Datacenter)  TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports  1 x IDRAC Direct (Micro-AB USB) port  1 x USB 2.0  1 x VGA  1 x DVD  Rear Ports:  1 x USB 2.0  1 x Serial (optional)		Chassis depth: 707.78 mm
Memory       32 GB DDRA DIMM         Storage Controller       SAS_H355         Power Supply       800 W (1 + 1)         Bezel       security bezel         IDRAC Service Module IDRAC Direct       Quick Sync 2 wireless module         OpenManage™ Software       OpenManage Enterprise OpenManage plugin OpenManage SupportAssist plugin OpenManage SupportAssist plugin         OpenManage Update Manager plugin       OpenManage Update Manager plugin         Integrations and Connections       Integrations: BMC Truesight, Microsoft System Center; OpenManage Integrations; Red Hat Ansible Modules; VMware vCenter and vRealize Operations Manager         Security       Connections: IBM Tivoli Netcool/OMNIbus; IBM Tivoli Network Manager IP Edition; Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI         Secure Boot       Secure Boot         Secure Erase       Silicon Root of Trust         System Lockdown (requires iDRAC9 Enterprise or Datacenter)       TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ         Front Ports:       1 x iDRAC Direct (Micro-AB USB) port         1 x USB 2.0       1 x USB 2.0         1 x USB 2.0<	Device Dimensions	707.78 × 482 × 86.8 mm (27.85 × 19.0 × 3.4 inch)
Storage Controller  SAS_H355  Power Supply  800 W (1+1)  Bezel  security bezel  IDRAC9  IDRAC9  IDRAC Service Module  IDRAC Direct  Quick Sync 2 wireless module  OpenManage™ Software  OpenManage Power Manager plugin  OpenManage SupportAssist plugin  OpenManage Update Manager plugin  Integrations and Connections  Integrations: BMC Truesight; Microsoft System Center; OpenManage Integrations; Red Hat Ansible Modules; VMware vCenter and vRealize Operations Manager IP Edition;  Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI  Cryptographically signed firmware  Secure Boot  Secure Boot  Secure Boot  Secure Erase  Silicon Root of Trust  System Lockdown (requires iDRAC9 Enterprise or Datacenter)  TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China Nation2  Front Ports:  1 x iDRAC Direct (Micro-AB USB) port  1 x USB 2.0		With package: 930 × 667 × 327 mm (36.6 × 26.3 × 12.9 inch)
Power Supply 800 W (1 + 1)  Bezel security bezel iDRAC9 iDRAC Service Module iDRAC Direct Quick Sync 2 wireless module  OpenManage™ Software OpenManage Enterprise OpenManage OpenManage Dywer Manager plugin OpenManage Update Manager plugin OpenManage OpenManage OpenManager IP Edition; Micro Focus Operations Manager; OpenManage OpenAtorions Manager IP Edition; Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI Oryptographically signed firmware Secure Boot Secure Erase Silicon Root of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter) TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports: 1 x iDRAC Direct (Micro-AB USB) port 1 x USB 2.0 1 x VGA 1 x DVD Rear Ports: 1 x USB 2.0 1 x USB 2.0 1 x USB 2.0 1 x Serial (optional)	Memory	32 GB DDR4 DIMM
Bezel security bezel iDRAC9 iDRAC9 iDRAC Service Module iDRAC Direct Quick Sync 2 wireless module  OpenManage™ Software OpenManage Power Manager plugin OpenManage SupportAssist plugin OpenManage Update Manager plugin OpenManage Update Manager plugin OpenManage Update Manager plugin OpenManage SupportAssist plugin OpenManage Update Manager IP Edition; Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI Cryptographically signed firmware Secure Boot Secure Boot Secure Erase Silicon Root of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter) TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports:  1 x iDRAC Direct (Micro-AB USB) port  1 x USB 2.0  1 x VVGA  1 x USB 2.0	Storage Controller	SAS_H355
iDRAC9 iDRAC Service Module iDRAC Direct Quick Sync 2 wireless module  OpenManage™ Software  OpenManage Power Manager plugin OpenManage Update Manager plugin OpenManage Update Manager plugin Integrations and Connections  Connections: IBM Tivoli Netcool/OMNIbus; IBM Tivoli Network Manager IP Edition; Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI Cryptographically signed firmware Security  Security  Security  Front Ports: 1 x iDRAC Direct (Micro-AB USB) port 1 x USB 2.0 1 x VGA 1 x DVD Rear Ports: 1 x USB 2.0 1 x Serial (optional)	Power Supply	800 W (1 + 1)
iDRAC Service Module iDRAC Direct Quick Sync 2 wireless module  OpenManage™ Software  OpenManage Power Manager plugin OpenManage SupportAssist plugin OpenManage Update Manager plugin OpenManage Update Manager plugin Integrations: BMC Truesight; Microsoft System Center; OpenManage Integrations; Red Hat Ansible Modules; VMware vCenter and vRealize Operations Manager IP Edition; Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI  Cryptographically signed firmware Secure Boot Secure Erase Silicon Root of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter) TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports: 1 x USB 2.0 1 x VGA 1 x DVD  Rear Ports: 1 x USB 2.0 1 x Serial (optional)	Bezel	security bezel
iDRAC Direct Quick Sync 2 wireless module  OpenManage™ Software  OpenManage Enterprise OpenManage Power Manager plugin OpenManage Update Manager plugin OpenManage Update Manager plugin Integrations: BMC Truesight; Microsoft System Center; OpenManage Integrations; Red Hat Ansible Modules; VMware vCenter and vRealize Operations Manager  Connections: IBM Tivoli Netcool/OMNIbus; IBM Tivoli Network Manager IP Edition; Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI  Cryptographically signed firmware Secure Boot Secure Erase Silicon Root of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter) TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports: 1 x iDRAC Direct (Micro-AB USB) port 1 x USB 2.0 1 x VGA 1 x DVD  I/O & Ports Rear Ports: 1 x USB 2.0 1 x Serial (optional)		iDRAC9
IDRAC Direct Quick Sync 2 wireless module  OpenManage™ Software  OpenManage Power Manager plugin OpenManage SupportAssist plugin OpenManage Update Manager plugin  Integrations: BMC Truesight; Microsoft System Center; OpenManage Integrations; Red Hat Ansible Modules; VMware vCenter and vRealize Operations Manager  Connections: IBM Tivoli Netcool/OMNIbus; IBM Tivoli Network Manager IP Edition; Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI  Cryptographically signed firmware Secure Boot Secure Erase Silicon Root of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter) TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports: 1 x iDRAC Direct (Micro-AB USB) port 1 x USB 2.0 1 x VGA 1 x DVD  I/O & Ports  Rear Ports: 1 x USB 2.0 1 x Serial (optional)	Fush add ad Managanant	iDRAC Service Module
OpenManage Enterprise OpenManage Power Manager plugin OpenManage SupportAssist plugin OpenManage Update Manager plugin Integrations: BMC Truesight; Microsoft System Center; OpenManage Integrations; Red Hat Ansible Modules; VMware vCenter and vRealize Operations Manager  Connections: IBM Tivoli Netcool/OMNIbus; IBM Tivoli Network Manager IP Edition; Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI  Cryptographically signed firmware Secure Boot Secure Erase Silicon Root of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter) TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports: 1 x IDRAC Direct (Micro-AB USB) port 1 x USB 2.0 1 x VGA 1 x DVD Rear Ports: 1 x USB 2.0 1 x Serial (optional)	Embedded Management	iDRAC Direct
OpenManage Power Manager plugin OpenManage SupportAssist plugin OpenManage Update Manager plugin Integrations: BMC Truesight; Microsoft System Center; OpenManage Integrations; Red Hat Ansible Modules; VMware vCenter and vRealize Operations Manager Connections: IBM Tivoli Netcool/OMNIbus; IBM Tivoli Network Manager IP Edition; Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI  Cryptographically signed firmware Secure Boot Secure Erase Silicon Root of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter) TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports: 1 x iDRAC Direct (Micro-AB USB) port 1 x USB 2.0 1 x VGA 1 x DVD  Rear Ports: 1 x USB 2.0 1 x Serial (optional)		Quick Sync 2 wireless module
OpenManage SupportAssist plugin OpenManage Update Manager plugin Integrations: BMC Truesight; Microsoft System Center; OpenManage Integrations; Red Hat Ansible Modules; VMware vCenter and vRealize Operations Manager  Connections: IBM Tivoli Netcool/OMNIbus; IBM Tivoli Network Manager IP Edition; Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI  Cryptographically signed firmware Secure Boot Secure Erase Silicon Root of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter) TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports: 1 x iDRAC Direct (Micro-AB USB) port 1 x USB 2.0 1 x VGA 1 x DVD  Rear Ports: 1 x USB 2.0 1 x Serial (optional)		OpenManage Enterprise
OpenManage SupportAssist plugin OpenManage Update Manager plugin Integrations: BMC Truesight; Microsoft System Center; OpenManage Integrations; Red Hat Ansible Modules; VMware vCenter and vRealize Operations Manager Integrations and Connections  Connections: IBM Tivoli Netcool/OMNIbus; IBM Tivoli Network Manager IP Edition; Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI  Cryptographically signed firmware Secure Boot Secure Erase Silicon Root of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter) TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports: 1 x iDRAC Direct (Micro-AB USB) port 1 x USB 2.0 1 x VGA 1 x DVD  I/O & Ports  Rear Ports: 1 x USB 2.0 1 x Serial (optional)	On and Manager IM Coefficient	OpenManage Power Manager plugin
Integrations: BMC Truesight; Microsoft System Center; OpenManage Integrations; Red Hat Ansible Modules; VMware vCenter and vRealize Operations Manager  Connections: IBM Tivoli Netcool/OMNIbus; IBM Tivoli Network Manager IP Edition; Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI  Cryptographically signed firmware  Secure Boot  Secure Erase Silicon Root of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter)  TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports:  1 x iDRAC Direct (Micro-AB USB) port  1 x USB 2.0  1 x VGA  1 x DVD  Rear Ports:  1 x USB 2.0  1 x Serial (optional)	OpenManage ····· Software	OpenManage SupportAssist plugin
Integrations and Connections  Connections: IBM Tivoli Netcool/OMNIbus; IBM Tivoli Network Manager IP Edition; Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI  Cryptographically signed firmware Secure Boot Secure Erase Silicon Root of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter) TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports: 1 x iDRAC Direct (Micro-AB USB) port 1 x USB 2.0 1 x VGA 1 x DVD  I/O & Ports  Rear Ports: 1 x USB 2.0 1 x Serial (optional)		OpenManage Update Manager plugin
Integrations and Connections  Connections: IBM Tivoli Netcool/OMNlbus; IBM Tivoli Network Manager IP Edition; Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI  Cryptographically signed firmware Secure Boot Secure Erase Silicon Root of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter) TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports: 1 x iDRAC Direct (Micro-AB USB) port 1 x USB 2.0 1 x VGA 1 x DVD  Rear Ports: 1 x USB 2.0 1 x Serial (optional)		Integrations: BMC Truesight; Microsoft System Center; OpenManage Integrations; Red
Connections: IBM Tivoli Netcool/OMNIbus; IBM Tivoli Network Manager IP Edition; Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI  Cryptographically signed firmware Secure Boot Secure Erase Silicon Root of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter) TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports: 1 x iDRAC Direct (Micro-AB USB) port 1 x USB 2.0 1 x VGA 1 x DVD  I/O & Ports  Rear Ports: 1 x USB 2.0 1 x Serial (optional)		Hat Ansible Modules; VMware vCenter and vRealize Operations Manager
Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI  Cryptographically signed firmware Secure Boot Secure Erase Silicon Root of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter) TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports: 1 x iDRAC Direct (Micro-AB USB) port 1 x USB 2.0 1 x VGA 1 x DVD  I/O & Ports  Rear Ports: 1 x USB 2.0 1 x Serial (optional)	Integrations and Connections	
Cryptographically signed firmware Secure Boot Secure Erase Silicon Root of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter) TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports: 1 x iDRAC Direct (Micro-AB USB) port 1 x USB 2.0 1 x VGA 1 x DVD  I/O & Ports  Rear Ports: 1 x USB 2.0 1 x Serial (optional)		Connections: IBM Tivoli Netcool/OMNIbus; IBM Tivoli Network Manager IP Edition;
Secure Boot Secure Erase Silicon Root of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter) TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports: 1 x iDRAC Direct (Micro-AB USB) port 1 x USB 2.0 1 x VGA 1 x DVD  Rear Ports: 1 x USB 2.0 1 x Serial (optional)		Micro Focus Operations Manager; OpenManage Connections; Nagios Core; Nagios XI
Security  Secure Erase Silicon Root of Trust System Lockdown (requires iDRAC9 Enterprise or Datacenter) TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports: 1 x iDRAC Direct (Micro-AB USB) port 1 x USB 2.0 1 x VGA 1 x DVD  Rear Ports: 1 x USB 2.0 1 x USB 2.0 1 x Serial (optional)		Cryptographically signed firmware
Silicon Root of Trust  System Lockdown (requires iDRAC9 Enterprise or Datacenter)  TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports:  1 x iDRAC Direct (Micro-AB USB) port  1 x USB 2.0  1 x VGA  1 x DVD  Rear Ports:  1 x USB 2.0  1 x Serial (optional)		Secure Boot
Silicon Root of Trust  System Lockdown (requires iDRAC9 Enterprise or Datacenter)  TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports:  1 x iDRAC Direct (Micro-AB USB) port  1 x USB 2.0  1 x VGA  1 x DVD  I/O & Ports  Rear Ports:  1 x USB 2.0  1 x Serial (optional)	Consulta	Secure Erase
TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ  Front Ports:  1 x iDRAC Direct (Micro-AB USB) port  1 x USB 2.0  1 x VGA  1 x DVD  Rear Ports:  1 x USB 2.0  1 x Serial (optional)	Security	Silicon Root of Trust
Front Ports:  1 x iDRAC Direct (Micro-AB USB) port  1 x USB 2.0  1 x VGA  1 x DVD  Rear Ports:  1 x USB 2.0  1 x Serial (optional)		System Lockdown (requires iDRAC9 Enterprise or Datacenter)
1 x iDRAC Direct (Micro-AB USB) port 1 x USB 2.0 1 x VGA 1 x DVD  Rear Ports: 1 x USB 2.0 1 x Serial (optional)		TPM 1.2/2.0 FIPS, CC-TCG certified, TPM 2.0 China NationZ
1 x USB 2.0 1 x VGA 1 x DVD  I/O & Ports  Rear Ports: 1 x USB 2.0 1 x Serial (optional)		Front Ports:
1 x VGA 1 x DVD  I/O & Ports  Rear Ports: 1 x USB 2.0 1 x Serial (optional)		1 x iDRAC Direct (Micro-AB USB) port
1 x DVD  Rear Ports: 1 x USB 2.0 1 x Serial (optional)		1 x USB 2.0
I/O & Ports  Rear Ports:  1 x USB 2.0  1 x Serial (optional)		1 x VGA
1 x USB 2.0 1 x Serial (optional)		1 x DVD
1 x Serial (optional)	I/O & Ports	Rear Ports:
		1 x USB 2.0
1 x USB 3.0		1 x Serial (optional)
		1 x USB 3.0
6 x 1Gb Ethernet		6 x 1Gb Ethernet
1 x VGA		1 x VGA
Supported Operating Systems Not configured by default	Supported Operating Systems	Not configured by default



Physical and Environmental Parameters		neters
	Net Weight (without package)	28.8 kg (63.49 lb.)
	Gross Weight (with package)	37.2 kg (82.01 lb.)

## Available Model

DS-VD22D-C/HW6



Headquarters No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 www.hikvision.com

Follow us on social media to get the latest product and solution information.





HikvisionHQ



HikvisionHQ



Hikvision\_Global





