

## DS-D5022QE-CCTV 21.5" Monitor(Beta)



### Key Features

- LED backlit technology with full HD 1920 x 1080
- Wide view angle: 178° (H)/178° (V)
- Multiply inputs: HDMI, VGA
- 3D comb filter, 3D De-interlace
- 3D noise reduction
- VESA stand bracket
- High reliability and stability
- Green energy: Enter standby mode while no signal input

### Interfaces

NO.	Description
1	Power Input
2	HDMI Input
3	VGA Input

### Model

DS-D5022QE-CCTV



## Specifications

<b>Model</b>	DS-D5022QE-CCTV	
<b>Backlight</b>	LED Backlight	
<b>Screen Size</b>	21.5 inch	
<b>Pixel Pitch</b>	0.08275*0.24825mm	
<b>Max Resolution</b>	1920×1080@60Hz	
<b>Brightness</b>	250 cd/m <sup>2</sup>	
<b>Contrast</b>	3000: 1	
<b>Response Time</b>	5 ms	
<b>Color</b>	16.7M	
<b>Active Area</b>	476.64mm × 268.11mm	
<b>Viewing Angle</b>	178 (H), 178 (V)	
<b>Interfaces</b>	HDMI input	1
	VGA input	1
<b>Power Supply</b>	AC 100-240V; 50/60Hz	
<b>Power Consumption</b>	≤ 30W	
<b>Standby Power Consumption</b>	≤ 0.4W	
<b>Loudspeaker</b>	NA	
<b>Working Temperature</b>	0 to 40 °C (0 to 104 °F)	
<b>Working Humidity</b>	20 to 93 % (No Condensation)	
<b>Storage Temperature</b>	-20 to 55 °C (-4 to 131 °F)	
<b>Storage Humidity</b>	20 to 93% (No Condensation)	
<b>Color of Casing</b>	Black	
<b>VESA</b>	M4, 75mm × 75 mm	
<b>Dimensions(W*H*D)</b>	495mm × 295mm × 30mm	
<b>Net Weight</b>	3.3kg	
<b>Accessories</b>	VGA cord	1
	Power cord	1
	User manual	1
	Base bracket	1
<b>Bracket</b>	Pedestal	Contain 1
	Wall mounted	Optional
<b>*Note</b>	All specifications mentioned above are subject to the actual product	

## Dimensions (unit: mm)

Distributed by



## HIKVISION®

### Headquarters

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Europe**  
T +31-23-55-42-770  
info.eu@hikvision.com

**Hikvision Middle East**  
T +971-4-8816086  
salesme@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-450  
info.fr@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
poland@hikvision.com

**Hikvision UK**  
T +01628-902140  
support.uk@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Oceania**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision Canada**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Korea**  
T +82-31-731-8841  
sales.korea@hikvision.com

**Hikvision Brazil**  
T +55 11 3318-0050  
Latam.support@hikvision.com

**Hikvision Africa**  
T +27 (10) 0351172  
sale.africa@hikvision.com

**Hikvision Hong Kong**  
T +852-2151-1761

