

DS-MH2211(B) Series Body Camera



Introduction

DS-MH2211(B) series body camera is a highly integrated device designed for security and law enforcement. It can record video, tape audio, and capture image of the scene. It's small, light, easy-to-carry, and easy-to-operate. It's a good helper in law enforcement.

Key Feature

- H.264/H.265 encoding technology.
- Up to 1080p/25 fps recording resolution.
- 110° wide-range lens.
- Dismountable battery design.
- A built-in small battery can supply power when replacing the main battery.
- Denoising technology to reduce noise and resist echo.
- Built-in GPS module.
- Light weight.
- Small size.
- IP65.
- 2.0" TFT LCD.

Available Model

DS-MH2211/32G(B)

DS-MH2211/32G/GPS/WIFI(B)


DS-MH2211/64G/GPS/WIFI(B)




Specification

Model		DS-MH2211/32G(B)	DS-MH2211/32G/GPS/WIFI(B) DS-MH2211/64G/GPS/WIFI(B)
Sensor	Type	1/3" CMOS	
	FOV	Horizontal FOV: 110°	
Display	Dimension	2.0" TFT LCD	
Video Parameters	Video Input	1080p	
	Video Compression	H.264, H.265	
	Video Resolution	1080p/25 fps, 720p/25 fps, 720 × 576/25 fps	
	Main Stream	1080p/25 fps	
	Sub-Stream	720p/25 fps	
	Video Format	.mp4	
	Picture Resolution	Up to 30 MP	
	Picture Format	.jpg	
	Shutter	Digital shutter	
	Day & Night	IR cut filter with auto switch	
	White Balance	Auto	
	Flashing Light	Supported	
	Laser Positioning	Supported	
Storage	Capacity	A built-in storage chip of 32 GB/64 GB	
Positioning	Satellite Positioning	Not supported	Built-in GPS module
Wireless Transmission	Wi-Fi	Not supported	Supported. 802.11b/g/n
General	Working Temperature	-20 °C to +55 °C (-4 °F to +131 °F)	
	Working Humidity	≤ 90%	
	Ingress Protection Level	IP65	
	Fall Protection Height	2 m	
	Dimension (L × W × H)	81.5 × 54.5 × 26 mm (3.2 × 2.1 × 1.0")	
	Weight	Body camera: 127 g (0.28 lb)	
Others	Buttons	Power switch, recording button, taping button, capture button, two-way audio button, menu button, up button, down button, OK button.	
	USB Interface	Mini USB 2.0	
	Charging	Charging via USB interface Mini USB interface, USB socket charger	
	Battery	A dismantlable battery with 1,650 mAh capacity which can record videos of 1080p for 7 hours, and record video of 720 × 576p for 8 hours.	

Typical Application



Dimension



Distributed by



HIKVISION®

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Australia
T +61-2-8599-4233
salesau@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Canada
T +1-866-200-6690
sales.canada@hikvision.com

Hikvision Thailand
T +662-275-9949
sales.thailand@hikvision.com

Hikvision Europe
T +31-23-5542770
sales.eu@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision Turkey
T +90 [216]521 7070- 7074
sales.tr@hikvision.com

Hikvision Malaysia
T +601-7652-2413
sales.my@hikvision.com

Hikvision UK & Ireland
T +01628-902140
sales.uk@hikvision.com

Hikvision South Africa
Tel: +27 [10] 0351172
sale.africa@hikvision.com

Hikvision France
T +33[0]1-85-330-450
info.fr@hikvision.com

Hikvision Kazakhstan
T +7-727-9730667
nikia.panfilov@hikvision.ru

Hikvision Vietnam
T +84-974270888
sales.vt@hikvision.com

Hikvision UAE
T +971-4-4432090
salesme@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Tashkent
T +99-87-1238-9438
uzb@hikvision.ru

Hikvision Hong Kong
T +852-2151-1761
info.hk@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Korea
T +82-[0]31-731-8817
sales.korea@hikvision.com

Hikvision Poland
T +48-22-460-01-50
info.pl@hikvision.com

Hikvision Indonesia
T +62-21-2933759
Sales.Indonesia@hikvision.com

Hikvision Colombia
sales.colombia@hikvision.com