


## DS-D5028UC 27.9" Monitor



### Key Features

- Designed for surveillance, high reliability and stability
- Fashion appearance, very narrow frame
- 4K resolution is 4 times 1080P can own broader view and more abundant details
- VESA standard
- Build-in loudspeaker, audio visual connection
- Wide view angle: Horizontal 170°, Vertical 160°
- Build-in speaker

### Interfaces



NO.	Description
1	AC input
2	HDMI
3	DP
4	VGA
5	Audio IN
6	Earphone Out

### Model





DS-D5028UC



## Specifications

<b>Model</b>	DS-D5028UC	
<b>Backlight</b>	LED Backlight	
<b>Screen Size</b>	27.9"	
<b>Pixel Pitch</b>	0.16 mm (H) × 0.16 mm (V)	
<b>Max Resolution</b>	1920 × 1080@60Hz( Analog ), 3840 x 2160@60Hz(HDMI2.0/DP)	
<b>Brightness</b>	300 cd/m <sup>2</sup>	
<b>Contrast</b>	1000: 1	
<b>Response Time</b>	5.5 ms	
<b>Color</b>	1.07B (8bit + FRC)	
<b>Active Area</b>	620.93(H) mm x 341.28(V) mm	
<b>Viewing Angle</b>	Horizontal 170°, vertical 160°	
<b>Interfaces</b>	HDMI input	1
	VGA input	1
	DP Input	1
	Audio input	1
<b>Power Supply</b>	AC 110-240V; 50/60Hz	
<b>Power Consumption</b>	≤45 W(Typ), ≤70 W(Max)	
<b>Standby Power Consumption</b>	≤ 0.5 W	
<b>Loudspeaker</b>	2 * 3W	
<b>Working Temperature</b>	0 to 40 °C (32 to 104 ° F)	
<b>Working Humidity</b>	10 to 85 %	
<b>Storage Temperature</b>	-10 to 55 °C (14 to 131 ° F)	
<b>Storage Humidity</b>	5 to 85%	
<b>Color of Casing</b>	Black	
<b>VESA</b>	M4, 100 mm × 100 mm	
<b>Dimensions(W*H*D)</b>	659.7mm x 391mm x 49.3mm / 659.7mm x 452mm x 250 mm(with base)	
<b>Packing Dimensions(W*H*D)</b>	730mm x 527mm x 148mm	
<b>Gross Weight</b>	7.2 kg	
<b>Net Weight</b>	5.6 kg	
<b>Accessories</b>	HDMI cable	1
	Power cord	1
	User manual	1
	warranty card	1
<b>Bracket</b>	Pedestal	Contain 1
	Wall mounted	Optional DS-DM1940W
<b>*Note</b>	All specifications mentioned above are subject to the actual product	

## Dimensions (unit: mm)



Dist



## **HIKVISION**

### Headquarters

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Africa**  
T +27 (0) 0351172  
sale.africa@hikvision.com

**Hikvision Europe**  
T +31-23-55-42-770  
info.eu@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-450  
info.fr@hikvision.com

**Hikvision Oceania**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision Hong Kong**  
T +852-2151-1761

**Hikvision Middle East**  
T +971-4-8816086  
salesme@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Canada**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
poland@hikvision.com

**Hikvision Korea**  
T +82-31-731-8841  
sales.korea@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision UK**  
T +01628-902140  
support.uk@hikvision.com

**Hikvision Brazil**  
T +55 11 3318-0050  
Latam.support@hikvision.com