



Education Flat Panel

Communication Matrix

© 2020 Hangzhou Hikvision Digital Technology Co., Ltd. All rights reserved.

This Document (hereinafter referred to be “the Document”) is the property of Hangzhou Hikvision Digital Technology Co., Ltd. or its affiliates (hereinafter referred to as “Hikvision”), and it cannot be reproduced, changed, translated, or distributed, partially or wholly, by any means, without the prior written permission of Hikvision. Unless otherwise expressly stated herein, Hikvision does not make any warranties, guarantees or representations, express or implied, regarding to the Document, any information contained herein.

About this Document

Pictures, charts, images and all other information hereinafter are for description and explanation only. The information contained in the Document is subject to change, without notice, due to updates or other reasons. Please use this Document with the guidance and assistance of professionals trained in supporting the Product.

LEGAL DISCLAIMER

TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, THE DOCUMENT IS PROVIDED "AS IS" AND “ WITH ALL FAULTS AND ERRORS”. HIKVISION MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. IN NO EVENT WILL HIKVISION BE LIABLE FOR ANY SPECIAL, CONSEQUENTIAL, INCIDENTAL, OR INDIRECT DAMAGES INCLUDING, AMONG OTHERS, DAMAGES FOR LOSS OF BUSINESS PROFITS, BUSINESS INTERRUPTION, OR LOSS OF DATA, CORRUPTION OF SYSTEMS, OR LOSS OF DOCUMENTATION, WHETHER BASED ON BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE), OR OTHERWISE, IN CONNECTION WITH THE USE OF THE DOCUMENT, EVEN IF HIKVISION HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR LOSS.

Source Device	Source IP Address	Source Port Number	Destination Device	Destination IP Address	Destination Port Number (Listening)	Protocol	Port Description	Destination Port Configurable (Yes/No)	Authentication Mode	Encryption Mode	Enabled by Default (Yes/No)	Version	Special Scenario
Client Device	Client IP	1024 to 65535	HIK	Device IP	554	RTSP	Stream media server port	No	None	None	Yes	All	None
Client Device	Client IP	1024 to 65535	HIK	Device IP	1234	upnp		No	None	None	Yes	All	None
Client Device	Client IP	1024 to 65535	HIK	Device IP	5555	freeciv		No	None	None	Yes	All	None
Client Device	Client IP	1024 to 65535	HIK	Device IP	8000	webdav		No	None	None	Yes	All	None
			HIK		8121	TCP	init listening	No	None	None	Yes	All	None
			HIK		25123	TCP	init listening	No	None	None	Yes	All	None
			HIK		56789	TCP	init listening	No	None	None	Yes	All	None