

DS-2CE16D0T-IT1E 2 MP PoC Fixed Bullet Camera



- 2 MP PoC bullet camera
- EXIR 2.0: advanced infrared technology with 20 m IR distance
- Water and dust resistant (IP67)
- Transmits both HD video and power over the same coaxial cable

▪ Specification

| Camera | |
|--------------------------|---|
| Image Sensor | 2 MP CMOS |
| Max. Resolution | 1920 (H) × 1080 (V) |
| Min. Illumination | 0.01 Lux @ (F1.2, AGC ON), 0 Lux with IR |
| Shutter Time | PAL: 1/25 s to 1/50,000 s; NTSC: 1/30 s to 1/50,000 s |
| Day & Night | IR Cut Filter |
| Angle Adjustment | Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360° |
| Signal System | PAL/NTSC |
| Lens | |
| Lens Type | 2.8 mm, 3.6 mm and 6 mm fixed focal lens |
| Focal Length & FOV | Horizontal FOV: 103.55° (2.8 mm), 82.63° (3.6 mm), 54.38° (6 mm) |
| Lens Mount | M12 |
| Illuminator | |
| Supplement Light Type | IR |
| Supplement Light Range | Up to 20 m |
| Smart Supplement Light | Yes |
| Image | |
| Image Settings | Brightness, Mirror, Sharpness, AGC |
| Frame Rate | PAL: 1080p @ 25 fps NTSC: 1080p @ 30 fps |
| Day/Night Mode | Auto/Color/BW (Black and White) |
| Wide Dynamic Range (WDR) | Digital WDR |
| Image Enhancement | BLC, HLC, Global |
| Noise Reduction | 2D DNR |
| Interface | |
| Video Output | 1 HD analog output |
| General | |
| Power | 12 VDC ± 30%/PoC.af, max. 3 W |
| Material | Front cover: Metal, Main body: Plastic |
| Dimension | 86.7 mm × 81.6 mm × 226 mm (3.4" × 3.2" × 8.9") |
| Weight | Approx. 430 g (0.95 lb) |
| Operating Condition | -40 °C to 60 °C (-40 °F to 140 °F), humidity 90% or less (non-condensing) |
| Communication | HIKVISION-C |
| Language | English |
| Approval | |
| Protection | IP67 |

▪ Available Model

DS-2CE16D0T-IT1E(2.8mm)

DS-2CE16D0T-IT1E(3.6mm)

DS-2CE16D0T-IT1E(6mm)

▪ **Accessory**

▪ **Optional**

**DS-1280ZJ-XS
Junction Box**



Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.

