

SL-1211-1I Supplement Light



SL-1211-1I light is a supplement light with imported infrared by gas discharge, which supplements light simultaneously with capturing picture, controlled by high-definition intelligent cameras.


- Short recycling time, suitable for over-speed capture;
- With photosensitivity, it supports two levels of brightness during day and night, and the brightness value can be adjusted through RS485;
- Novel design, with manual universal joints, easy to adjust;
- Built-in grating (external grating optional), effectively reducing light pollution



▪ Specification

| Supplement Light | |
|-----------------------|--|
| Power Supply | AC220V±10% / 48Hz ~ 52Hz |
| Wave Length | ≥850 nm(Infrared) |
| Color Temperature | 5500 K ± 500 K |
| Flash energy | 200 J |
| Power Consumption | Average < 100 W (@ 1 flash / s), max < 300 W |
| Peak flash duration | 1 / 30 ms |
| Response Time | Max. 67ms |
| Effective distance | 16 m to 25 m |
| Trigger Manner | TTL level |
| Photosensitivity | Through photosensitivity to achieve different brightness during the day and night |
| Grating | Built-in grating (external grating optional); Effectively reducing light pollution |
| Coverage | Single lane |
| Operating Temperature | -25 ~ + 70 °C |
| Operating Humidity | 5% ~ 90% (40 °C), no condensation |
| Service Life | ≥20 Million times |
| Other Functions | Strobe Interval Protect |
| Protection Level | IP65 |
| Weight | 3.5 Kg |

Dimension



Unit: mm

Distributed by

**HIKVISION®****Headquarters**

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Australia
T +61-2-8599-4233
salesau@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Canada
T +1-866-200-6690
sales.canada@hikvision.com

Hikvision Thailand
T +662-275-9949
sales.thailand@hikvision.com

Hikvision Europe
T +31-23-5542770
sales.eu@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision Turkey
T +90 (216)521 7070- 7074
sales.tr@hikvision.com

Hikvision Malaysia
T +601-7652-2413
sales.my@hikvision.com

Hikvision UK & Ireland
T +01628-902140
sales.uk@hikvision.com

Hikvision South Africa
Tel: +27 (10) 0351172
sale.africa@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Kazakhstan
T +7-727-9730667
nikia.panfilov@hikvision.ru

Hikvision Vietnam
T +84-974270888
sales.vt@hikvision.com

Hikvision UAE
T +971-4-4432090
salesme@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Tashkent
T +99-87-1238-9438
uzb@hikvision.ru

Hikvision Hong Kong
T +852-2151-1761
info.hk@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Korea
T +82-(0)31-731-8817
sales.korea@hikvision.com

Hikvision Poland
T +48-22-460-01-50
info.pl@hikvision.com

Hikvision Indonesia
T +62-21-2933759
Sales.Indonesia@hikvision.com

Hikvision Colombia
sales.colombia@hikvision.com