

DS-19A08-01BNG



- Supports 8 wired onboard inputs, expandable to 256, 4 onboard outputs expandable to 256
- Supports up to 32 keypads, 32 keyfobs
- Supports multiple communication methods: PSTN + Wired IP + GPRS
- Supports up to 64 wireless zones using transceiver DS-PM-RSWR



▪ Specification

| Software features | |
|----------------------------|--|
| Phone numbers | 6 |
| SMS notification | support |
| Schedule | Support (Normal Schedule/Preferential Schedule) |
| Configuration tools | IVMS4200/Hik-Central/Keypad |
| Firmware update tools | Remote upgrade via network |
| User | 1 installer code, 1 master code and 199 operator code |
| Area | 8 |
| Hardware features | |
| Printer interface | 1 RS-232 |
| PSTN | 1, PSTN expander interface |
| Tamper-Proof | Tampering alarm |
| Communication interface | 1 RS485 Half-duplex |
| Network interface | 1, RJ45 10M/100M Ethernet Interface |
| Bus | MBUS |
| Electrical characteristics | |
| Power supply | AC220V |
| Power interface | AC220V |
| Operation humidity | 10% to 90% |
| Operation temperature | -10°C to 55°C |
| Power consumption | ≤ 60W (Load Power ≤ 40W) |
| General | |
| Dimension(WxHxD) | 370 mm × 320 mm × 86 mm |
| Application scenario | mainly applied to various industries such as finance, judicature, education, transport, electricity as well as shopping malls, stores, residences, apartments, communities and so on |
| Shell material | metal |
| Color | lightgray |
| Weight | < 3.5 kg |
| Device management | |
| Alarm output | 256 |
| Alarm input | 256 |
| Zones | 256 |
| Relay output | 4 |
| Keypad | 32 |
| Sounder output | 1 |
| Keyfob | 32 |
| Repeater | 4 |
| Report method | |
| Protocol | SDK, CID (DC05), SADP, DHCP |

▪ Available Model

DS-19A08-01BNG

Distributed by

**HIKVISION®****Headquarters**

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Australia
T +61-2-8599-4233
salesau@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Canada
T +1-866-200-6690
sales.canada@hikvision.com

Hikvision Thailand
T +662-275-9949
sales.thailand@hikvision.com

Hikvision Europe
T +31-23-5542770
sales.eu@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision Turkey
T +90 (216)521 7070- 7074
sales.tr@hikvision.com

Hikvision Malaysia
T +601-7652-2413
sales.my@hikvision.com

Hikvision UK & Ireland
T +01628-902140
sales.uk@hikvision.com

Hikvision South Africa
Tel: +27 (10) 0351172
sale.africa@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Kazakhstan
T +7-727-9730667
nikia.panfilov@hikvision.ru

Hikvision Vietnam
T +84-974270888
sales.vt@hikvision.com

Hikvision UAE
T +971-4-4432090
salesme@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Tashkent
T +99-87-1238-9438
uzb@hikvision.ru

Hikvision Hong Kong
T +852-2151-1761
info.hk@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Korea
T +82-(0)31-731-8817
sales.korea@hikvision.com

Hikvision Poland
T +48-22-460-01-50
info.pl@hikvision.com

Hikvision Indonesia
T +62-21-2933759
Sales.Indonesia@hikvision.com

Hikvision Colombia
sales.colombia@hikvision.com