

## NP-SG106 Metal Detector Door

NP-SG106 metal detector door, adopting advanced electromagnetic compatibility, has high detection sensitivity, strong anti-interference ability. It is suitable for safety inspection of dangerous goods and is widely used in public occasions and important places, and etc.



### Key Features


- Detects micro metals like half paper clip
- Detects all metal objects more than 2cm above the ground
- Detects metal objects thrown through the door
- Detects multiple metals in different positions of the human body simultaneously
- Distinguishes ferromagnetic from non-ferromagnetic metal objects
- Supports POST (power on self-test)
- 6 independent detection zones with each zone of the sensitivity level of 300
- 11 kinds of working frequency available or manual setting from 7000 to 8999Hz
- Precisely detects passing passerby and alarmed passerby via infrared ray
- PVC material for the door
- Reserves communication interface for computers, cameras and etc.
- In accordance with the international safety standard, friendly to pregnant woman, people with cardiac pacemaker and etc.
- Anti-interference design, multiple inspection door working at the same time without mutual interference
- Nixie tube display with high light
- Easy to transport and maintain



## Specifications

<b>Model</b>	<b>NP-SG106</b>
<b>Operating frequency</b>	Auto Ajust
<b>Working temperature</b>	-20 °C to 55 ° C (-4 °F to 131 °F)
<b>Working humidity</b>	95% (non-condensing)
<b>Power supply</b>	100 V to 240 V, 50/60 Hz
<b>Power consumption</b>	< 15 w
<b>Dimension (L x W x H)</b>	2200 mm x 830 mm x 500 mm (86.6" x 32.7" x 19.7")
<b>Passageway dimension (L x W x H)</b>	2000 mm x 710 mm x 500 mm (78.7" x 27.9" x 19.7")
<b>Gross weight</b>	70 kg (154.3lb)

## Dimension



## Available Model

NP-SG106

Distributed by

**HIKVISION®****Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Australia**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision Canada**  
T +1-866-200-6690  
sales.canada@hikvision.com

**Hikvision Thailand**  
T +662-275-9949  
sales.thailand@hikvision.com

**Hikvision Europe**  
T +31-23-5542770  
sales.eu@hikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision Brazil**  
T +55 11 3318-0050  
Latam.support@hikvision.com

**Hikvision Turkey**  
T +90 (216)521 7070- 7074  
sales.tr@hikvision.com

**Hikvision Malaysia**  
T +601-7652-2413  
sales.my@hikvision.com

**Hikvision UK & Ireland**  
T +01628-902140  
sales.uk@hikvision.com

**Hikvision South Africa**  
Tel: +27 (10) 0351172  
sale.africa@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-450  
info.fr@hikvision.com

**Hikvision Kazakhstan**  
T +7-727-9730667  
nikia.panfilov@hikvision.ru

**Hikvision Vietnam**  
T +84-974270888  
sales.vt@hikvision.com

**Hikvision UAE**  
T +971-4-4432090  
salesme@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Tashkent**  
T +99-87-1238-9438  
uzb@hikvision.ru

**Hikvision Hong Kong**  
T +852-2151-1761  
info.hk@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision Korea**  
T +82-(0)31-731-8817  
sales.korea@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
info.pl@hikvision.com

**Hikvision Indonesia**  
T +62-21-2933759  
Sales.Indonesia@hikvision.com

**Hikvision Colombia**  
sales.colombia@hikvision.com