

DS-D5027FN



- LED backlit technology with full HD 1920×1080
- Wide view angle: 178°(H)/178°(V)
- User-friendly operation menu
- High reliable components for 7×24 working
- 1 channel HDMI 1.3 input interface
- Three image modes to adapt different environment
- Support software spread-spectrum technology to reduce EMI radiation
- VESA stand bracket



▪ Specification

| | Model | DS-D5027FN |
|--------------------|---------------------------|--------------------------------|
| General | Loudspeaker | NA |
| | Dimensions(W*H*D) | 614×454×226mm |
| | Packing Dimensions(W*H*D) | 675×547×136mm |
| | Gross Weight | 5.62 kg |
| | Net Weight | 4.06 kg |
| | Storage Temperature | -20 to 60 ° C (-4 to 140 ° F) |
| | Power Supply | 100 to 240 VAC, 50/60Hz |
| | Working Temperature | 0 to 40 ° C (32 to 104 ° F) |
| | Working Humidity | 10 to 90 % |
| | Storage Humidity | 5 to 95% |
| | Wall-mounting Screw | M4 |
| | Wall-mounting Hole | 100 ×100 mm |
| | Standby Power Consumption | ≤ 0.5 W |
| | Power Consumption | ≤ 40W |
| | Color of Casing | Black |
| | Casing Material | Plastic |
| Interfaces | HDMI Input | 1 |
| | VGA Input | 1 |
| Accessories | Power Cord | 1 |
| | HDMI cable | 1 |
| | User Manual | 1 |
| Monitor | Backlight | TFT-LED Backlight |
| | Screen Size | 27 inch |
| | Max Resolution | 1920 ×1080@60Hz |
| | Brightness | 250 cd/m ² |
| | Contrast | 4000: 1 |
| | Response Time | 6.5ms |
| | Color | 16.7M |
| | Active Area | 598 × 336 mm |
| | Viewing Angle | Horizontal 178°, vertical 178° |

▪ Available Model

DS-D5027FN

Distributed by

**HIKVISION®****Headquarters**

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Australia
T +61-2-8599-4233
salesau@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Canada
T +1-866-200-6690
sales.canada@hikvision.com

Hikvision Thailand
T +662-275-9949
sales.thailand@hikvision.com

Hikvision Europe
T +31-23-5542770
sales.eu@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision Turkey
T +90 (216)521 7070- 7074
sales.tr@hikvision.com

Hikvision Malaysia
T +601-7652-2413
sales.my@hikvision.com

Hikvision UK & Ireland
T +01628-902140
sales.uk@hikvision.com

Hikvision South Africa
Tel: +27 (10) 0351172
sale.africa@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Kazakhstan
T +7-727-9730667
nikia.panfilov@hikvision.ru

Hikvision Vietnam
T +84-974270888
sales.vt@hikvision.com

Hikvision UAE
T +971-4-4432090
salesme@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Tashkent
T +99-87-1238-9438
uzb@hikvision.ru

Hikvision Hong Kong
T +852-2151-1761
info.hk@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Korea
T +82-(0)31-731-8817
sales.korea@hikvision.com

Hikvision Poland
T +48-22-460-01-50
info.pl@hikvision.com

Hikvision Indonesia
T +62-21-2933759
Sales.Indonesia@hikvision.com

Hikvision Colombia
sales.colombia@hikvision.com