

DS-PEA101-V1-PS(D) Panic Alarm Panel

DS-PEA1-101 panic alarm panel is designed without camera. It supports two-way audio. It helps to realize alarm aid the first time and provides more efficient service for building social stability. It is mainly applied to classroom, corridor, laboratory, dormitory, office, hospital, ward and so on



- Adopts embedded Linux operation system and high-performance embedded SOC processor
- One-touch emergency calling
- Multiple communication protocols: TCP/IP, HIK-SIP, RTSP and standard SIP
- Supports ISUP for public network transmission
- Built-in Omnidirectional Microphone, Pickup Distance: 5 m
- Supports AEC/AGC/ANC
- Support system audio self-check
- Explosion-proof level: IK09&IP65
- Supports broadcasting



▪ Specification

Software features	
Admin	1
Configuration tools	IVMS4200
Voice prompt	Supported
Firmware update tools	Supported
User APP for operating	Supported
Memory log stored	Supported
Protocol	TCP/IP, RTSP, HIK-SIP, Standard SIP, ISUP
Hardware features	
Tamper-Proof	Supported
Alarm input	1
Alarm output	1
Sounder Output	12V/0.3A
Audio	
Sound pressure	80dB, Sound Can be Configured Separately
Audio input	1-ch Built-in Omnidirectional Microphone Pickup Distance: 5 m
Audio output	1-ch 3 W Build-in Loudspeaker
Audio encoding/decoding standard	G.711U/PCM/ADPCM/AAC/OPUS
Audio compression code rate	16Kbps,64Kbps
Audio quality	Smart Noise Suppression
Electrical characteristics	
Power supply	12 VDC
Power consumption	≤10W
Network transmission	
Wired network	Wired network 10 M/100 M Self-adaptive Ethernet port
POE	Supported (IEEE802.3af)
General	
IP rate	65
IK rate	09
Installation method	Wall-mounted
Dimension(WxHxD)	119.2*195.6*43.3mm
Color	Silver
Weight	700g
Operation temperature	-20°C + 60°C
Operation humidity	10%-90%

▪ Available Model

DS-PEA101-V1-PS,

Distributed by

**HIKVISION®****Headquarters**

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Australia
T +61-2-8599-4233
salesau@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision Canada
T +1-866-200-6690
sales.canada@hikvision.com

Hikvision Thailand
T +662-275-9949
sales.thailand@hikvision.com

Hikvision Europe
T +31-23-5542770
sales.eu@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com

Hikvision Turkey
T +90 (216)521 7070- 7074
sales.tr@hikvision.com

Hikvision Malaysia
T +601-7652-2413
sales.my@hikvision.com

Hikvision UK & Ireland
T +01628-902140
sales.uk@hikvision.com

Hikvision South Africa
Tel: +27 (10) 0351172
sale.africa@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Kazakhstan
T +7-727-9730667
nikia.panfilov@hikvision.ru

Hikvision Vietnam
T +84-974270888
sales.vt@hikvision.com

Hikvision UAE
T +971-4-4432090
salesme@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Tashkent
T +99-87-1238-9438
uzb@hikvision.ru

Hikvision Hong Kong
T +852-2151-1761
info.hk@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Korea
T +82-(0)31-731-8817
sales.korea@hikvision.com

Hikvision Poland
T +48-22-460-01-50
info.pl@hikvision.com

Hikvision Indonesia
T +62-21-2933759
Sales.Indonesia@hikvision.com

Hikvision Colombia
sales.colombia@hikvision.com