

HiLook

Great View, Great Value



THC-B150-PMPIRL

5MP PIR Bullet Camera

For HiLook Analogue CCTV Kit



ACCURATE
ALERT

Using built-in PIR (passive infrared) sensor technology, only warm heat sources will be detected, meaning you will avoid false alerts from scenarios such as moving trees.



ACTIVE
DEFENCE

With the brightly lit LED emitting upon detection, you can ensure an additional level of security from your system, designed to deter suspicious activity.



EXIR
ENHANCED
NIGHT VISION

EXIR (Extended Infrared) enhances night vision by reducing the centred brightness and spreading the exposure to darker areas, giving a more complete and bright image.

Specification


Camera	
Image Sensor	5 MP CMOS
Signal System	PAL/NTSC
Frame Rate	TVI: 5 MP@20fps, 4 MP@25fps, 4 MP@30fps, 1080P@25fps, 1080P@30fps
Resolution	2560 (H) × 1944 (V)
Min. Illumination	0.01 Lux@(F1.2, AGC ON), 0 Lux with IR
Shutter Time	PAL: 1/20 s to 1/50,000 s NTSC: 1/20 s to 1/50,000 s
Lens	2.8 mm fixed focal lens
Field of View	2.8 mm, horizontal FOV: 85.5°, vertical FOV: 63.8°, diagonal FOV: 110.7°
Lens Mount	M12
Strobe Light Alarm	Yes
Day & Night	ICR
WDR (Wide Dynamic Range)	Digital WDR
Angle Adjustment	Pan: 0° to 360°, Tilt: 0° to 180°, Rotate: 0° to 360°

Menu	
White Light	AUTO/OFF
Image Mode	STD/HIGH-SAT
AGC	Yes
Day/Night Mode	Auto/Color/BW (Black and White)
White Balance	Auto/Manual
AE (Auto Exposure) Mode	DWDR/BLC/HLC/Global
Noise Reduction	2D DNR
Language	English
Function	Brightness, Sharpness, Mirror, Smart IR

Interface	
Video Output	1 HD analog output

General	
Operating Conditions	-40 °C to 60 °C (-40 °F to 140 °F), humidity: 90% or less (non-condensing)
Power Supply	12 VDC ±25%
Power Consumption	Max. 4 W
Ingress Protection	IP67
Material	Plastic
IR Range	Up to 20 m
White Light Range	Up to 20 m
PIR Range	Angle: 110°, Range: 11 m
Communication	HIKVISION-C
Dimensions	68 mm × 70 mm × 179.8 mm (2.68" × 2.76" × 7.08")
Weight	Approx. 190 g (0.42 lb.)

Dimensions



Hikvision UK & Ireland Ltd
4 The Square, Stockley Park,
Uxbridge, UB11 1ET

Copyright © 2020 Hangzhou Hikvision
Digital Technology Co., Ltd.
All rights reserved.