

Hik-ProConnect + Hik-Connect

HIKVISION[®]



Temperature Screening Mask Detecton
& Density Control Soltuion

1

Temperature Screening and Mask Detection Solution

2

Density Control Solution

3

Compatibility List

Temperature Screening and mask detection Solution Diagram

HIKVISION®



Temperature Screening and mask detection Scenario

HIKVISION®



Scenario

Mainly for business scenarios, such as supermarket, shops, bookstores, cafes, etc.



Security Guard, Shopping Customer

Product: iPad or Android Pad; Installed with Hik-Connect App

Key Features:

Temperature Monitoring Module.

1. Video snapshot with customer's face, temperature, with or without mask.
2. Warning if temperature is abnormal or mask is not worn.
3. Support **LAN** connection with camera or NVR



LAN



Service Provider & Installer



Product: Hik-ProConnect **Portal**, Hik-ProConnect **App**

Key Features:

1. Device remote configuration
2. Device health monitoring, e.g. online/offline
3. **Enable Temperature Screening add-on (Monitoring with tablet)**

Note: Temperature related functions only available on portal now.



Product: Thermal Camera (DS-2TD1217/2636/2617)

Key Feature:

1. **Temperature Screening** and high temperature alarm
2. **Mask** detection and alarm
3. Real time video

Temperature Screening and mask detection Scenario

HIKVISION®



Scenario

Mainly for business scenarios, such as supermarket, shops, bookstores, cafes, etc.



Security Guard, Shopping Customer

Product: Minmoe Terminal (DS-K1T671TM)

Key Feature:

1. **Temperature Screening** and high temperature alarm
2. **Mask** detection and alarm
3. Real time video



LAN



Service Provider & Installer

Product: Hik-ProConnect **Portal**, Hik-ProConnect **App**

Key Features:

1. Device remote configuration
2. Device health monitoring, e.g. online/offline
3. Enable Temperature Measurement add-on (Monitoring with Pad)

NOTE: Temperature related functions only available on portal now.




Cashier

Product: iPad or Android Pad; Installed with Hik-Connect App

Key Features:

Temperature Monitoring Module.

1. Video snapshot with customer's face, temperature, with or without mask.
2. Warning if temperature is abnormal or mask is not worn.
3. Support **LAN** connection with camera or NVR



1

Temperature Measurement Solution

2


Density Control Solution

3

Compatibility List

Density Control Solution Diagram

HIKVISION®



Density Control Scenario with People Counting Camera

HIKVISION®


Role: Service provider & Installer

Product: Hik-ProConnect Portal, Hik-ProConnect App

Key Features:

1. Device remote configuration, e.g. enable/disable push notification
2. Device health monitoring, e.g. online/offline
3. **Enable Density Control add-on** (Monitoring with Pad, report)

Note: Flow Control related functions only available on portal now.



Role: Store Owner

Product: Hik-Connect App

Key Features:

1. Alarm notification when the number exceeds the limit.
2. Check the info of available to enter and people inside of each group
3. Log search for "exceed limit record" by group, date/time within 30 days.
4. Generate **report** for logs with Excel and send to specific Email address
5. Parameter configuration, e.g. Number of limit, etc.



Product: People Counting Camera
(DS-2CD6825G0/C-I(V)S(2mm), iDS-2CD7146G0-IZS, DS-2CD2xxx-G2)


Key Feature:

1. **People counting**



Scenario

- Mainly for business scenarios, such as supermarket, shops, bookstores, cafes, etc.



Role: Security Guard, Shopping Customer



Product: iPad or Android tablet; Installed with Hik-Connect App

Key Features:

Flow Control Monitoring Module.

1. Create a group for a zone with multiple people counting camera
2. Show the number of people inside the zone and how many people are available to enter.
3. Warning if the number of people exceeds the limit.
4. Self-define for the text information in monitoring interface
5. Support **LAN** connection with camera or NVR



1 Temperature Measurement Solution

2 Density Control Solution

3 Compatibility List

Compatibility List

HIKVISION®

Temperature Measurement

Thermal Camera

1. DS-2TD1217
2. DS-2TD2617
3. DS-2TD2636B-15/P
4. DS-2TD2636B-13/P
5. DS-2TD2637B-10/P



Minmoe Temperature Measurement Terminal

1. DS-K1T671TM-3XF



Density Control

Dual-Lens People Counting Camera

1. DS-2CD6825G0/C-I(V)S(2mm)
(Be-spoken firmware)



New deepinview 7 series camera

1. iDS-2CD7146G0-IZS



AcuSense IP Camera

1. DS-2CD2XX6G2
(Be-spoken firmware)



Storage

DeepinMind NVR

1. iDS-7716(/32)NXI-I4/(16P)/X(B)(T)
2. iDS-9616(/32)NXI-I8/X(B)(T)



Cloud Based Software

Hik-Connect App
for End User



Hik-ProConnect
Portal & App for Installer or
Service Provider



All firmware version of devices are TBD

Thank you!

