

HeatPro Bi-Spectrum Thermal & Optical Cameras Optimize Security for High End Villas, Apartments & Multi-Unit Residential Applications

Residential properties need to protect property perimeters, deter crime, and prevent theft, and protect against fire. HeatPro Bi-Spectrum Cameras provide outstanding perimeter protection and early fire detection with warnings using its thermal module to see through smoke, fog, dense foliage and challenging weather.



► Current Challenges Protecting Residences

70 percent of residential burglaries occur at night

- High cost of 24/7 security
- Conventional cameras perform poorly at night

No early fire detection and warnings

- Smoke detectors do not provide visual warnings
- Early, advanced notices not available in case of fire

Complicated setup

- Systems are often complex and expensive
- Lacking privacy protection

► The Solution: HeatPro Bi-Spectrum Cameras



Exceptional 24/7 Performance

- Works in any environment
- Reduces false alarms
- Built-in flashlight and speaker provide instant warnings



Instant Temperature & Fire Detection

- Monitors temperature exceptions and triggers a pre-alarm notice
- Provides visual dashboard of temperature measurement



Simple Configuration

- Easy VCA setup with tutorial
- Works with Hikvision I and K series NVRs
- Protects user's privacy



▶ **Real-Time Fire Detection**

HeatPro's large field-of-view covers wide areas where a fire could occur.



▶ **Visibility at Night**

HeatPro secures backyards and perimeters at night with superior thermal visibility. The thermal module can see through dense foliage, fog and smoke.



▶ **Parking Lots & Garages**

Temperature except alarm can monitor charging stations, electricity boxes and any potential fire risk.



▶ **Perimeter Protection**

HeatPro offers highly accurate coverage over large areas and detects intrusion and line crossing activity.



▶ **Swimming Pools**

Perimeter protection with temperature exception for added safety.

Typical Applications



Gated Communities




Villas or High-End Residences

FLEXIBLE SOLUTIONS

Economical Solution

HeatPro cameras are easily accessible from the Hik-Connect app or using Hikvision I or K series NVRs.



PRODUCT SHOWCASE

- Resolution: 160 x 120 for thermal, 4 MP for visible light
- VCAs: Line crossing, intrusion detection
- Temperature accuracy: $\pm 14.4^{\circ}\text{F}$ ($\pm 8^{\circ}\text{C}$)
- Temperature measurement range: -4° to 302°F (-20° to 150°C)
- Built-in strobe light and audio alarm

Bi-spectrum



Turret

DS-2TD1217-2/3/6/PA

Bullet

DS-2TD2617-3/6/10/PA

FOCUS ED ON YOUR SUCCESS

HIKVISION