HIKVISION

LAL AAAA


HIEVISION'S VERSATILE POE NETWORK SWITCHES




KEY FEATURES


VISUAL TOPOLOGY

**Topology and direct camera pre-view with PTZ control only available in Smart Managed Switches Series



CAMERA LIVE VIEW





SURGE PROTECTION

Indoor




For common office scenarios, the equipment is deployed indoors and there is less need for surge protection In the field of CCTV, cameras are mostly used in outdoor scenes. Especially in thunderstorms, it is easy to cause voltage overload or instability





MAXIMUM 984 FT. LONG DISTANCE TRANSMISSION



60W/90W POWER SUPPLY



** Hi-PoE power supply only available in Hi-PoE Unmanaged Switches Series

APPLICATIONS

Small Scenes ≤ 100 Cameras



Unmanaged Hi-PoE

Medium Scenes 100 ≥ 200 Cameras



-EI &-SI Smart Managed PoE


Large Scenes 200 ≥ 300 Cameras



-SI Smart Managed PoE

WORKING DIAGRAM





\star 52 Port Smart Managed Switch can meet demand for scaling IP Cameras

VIDEO, SECURITY & BEYOND

Contact Your Sales Rep: Phone #: Email: General Inquiries/Support: +1 (866) 200-6690 (U.S. and Canada) | +1 (909) 895-0400



For more information about this Special Offer, please contact inside sales at inside.usa@hikvision.com, or contact your local Hikvision representative.

hikvision.com Connect with us: ♥ ④ in ◘ ◎

©2023 Hikvision USA Inc. and Hikvision Canada Inc. All rights reserved. Hikvision is a registered trademark of Hikvision Digital Technology Co., Ltd. in the US, Canada and other countries. Product specifications and availability are subject to change without notice.

